

Deborah Berg

Adam Court
Mount Airy, MD

2 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: Apr 20, 2026

● 6 Important

Across 2 inspections since 2024, the issues cited most often were At the Time of This Inspection the Provider Is Missing Proper Lead Screenings for 2 Children Enrolled in Care. The Provider Is to Obtain These Missing Records and Submit Evidence to the LS. (2), At the Time of This Inspection the Provider Is Missing 2026 Annual Updates on 2 Emergency Cards. The Provider Is to Obtain These Updates and Submit Evidence to the LS. (1), and At the Time of This Inspection the Provider Is Missing Part 1 of the Health Assessment for 1 Child Enrolled in Care and Part 2 of the Health Assessment for 2 Children Enrolled in Care. The Provider to Obtain These Missing Documents and Submit Evidence to the LS. (1). None of the 6 findings were critical.

Inspection Visits

Apr 20, 2026 2 Findings ● 2 Important

- **At the Time of This Inspection the Provider Is Missing Proper Lead Screenings for 2 Children Enrolled in Care. The Provider Is to Obtain These Missing Records and Submit Evidence to the LS.**

13A.15.03.02B

- **At the Time of This Inspection the Provider Is Missing 2026 Annual Updates on 2 Emergency Cards. The Provider Is to Obtain These Updates and Submit Evidence to the LS.**

13A.15.03.04A(3)

May 20, 2024 4 Findings ● 4 Important

- **At the Time of This Inspection the Provider Is Missing Part 1 of the Health Assessment for 1 Child Enrolled in Care and Part 2 of the Health Assessment for 2 Children Enrolled in Care. The Provider to Obtain These Missing Documents and Submit Evidence to the LS.**

13A.15.03.02A

- **At the Time of This Inspection the Provider Is Missing Lead Screening for 4 Children Enrolled in Care. The Provider to Obtain These Missing Documents and Submit Evidence to the LS.**

13A.15.03.02B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of This Inspection the Provider Was Unable to Locate Her Emergency Disaster Plan. The Provider Is to Locate This Plan, Review and Update It for 2024 and Submit Evidence to the LS.**
13A.15.10.01A(4)
- **At the Time of This Inspection the Provider Is Missing an Operable Flashlight and 1 Gauze Roll From the First Aid Kit. The Provider Is to Obtain These Items and Submit Evidence to the LS.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.