

Bernadette House

Charraway Road
Baltimore, MD

3 Inspection Visits Since 2023 - 13 Findings

Most recent inspection: Jul 31, 2025

● 13 Important

Across 3 inspections since 2023, the issues cited most often were Licensing Specialist Did Not Observe an Emergency Form for One School Age Child Present. (3), Upon Arrival of Inspection, Licensing Specialist Did Not Observe the Gate Secured at the Bottom of the First Floor Steps While the Provider Was on a Different Floor Preparing Food. Corrected During Inspection. Provider Secured the Gate During the Inspection. (3), and Licensing Specialist Observed Cleaning/gardening Solution, a Barbecue Fork and Tong, Gardening Tools, a Shovel, and Rake Accessible to Children. Provider Stated They Do Not Go to This Area. (2). None of the 13 findings were critical.

Inspection Visits

Jul 30, 2024 6 Findings ● 6 Important

- **Licensing Specialist Did Not Observe an Emergency Form for One School Age Child Present.**
13A.15.03.04A(1)
- **Upon Arrival of Inspection, Licensing Specialist Did Not Observe the Gate Secured at the Bottom of the First Floor Steps While the Provider Was on a Different Floor Preparing Food. Corrected During Inspection. Provider Secured the Gate During the Inspection.**
13A.15.05.04B(2)
- **Licensing Specialist Observed the Child Proof Device No Longer Operable on the Laundry Room Door.**
13A.15.05.04B(3)
- **Licensing Specialist Observed Cleaning/gardening Solution, a Barbecue Fork and Tong, Gardening Tools, a Shovel, and Rake Accessible to Children. Provider Stated They Do Not Go to This Area.**
13A.15.05.05A
- **Licensing Specialist Observed the Television on for the Duration of the Inspection. One School Age Child Was on Her Cell Phone for the Majority of the Inspection.**
13A.15.09.01B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Upon Arrival of Inspection Licensing Specialist Observed Three Two Year Old Children Eating While Watching Television.**

13A.15.09.01B(5)

Jul 31, 2023 6 Findings ● 6 Important

- **Licensing Specialist Observed Two Emergency Forms That Need to Be Completed and One That Needs to Be Updated.**

13A.15.03.04A(1)

- **Licensing Specialist Observed a Fire Report Posted That Expired July 30, 2022. Provider Called the Fire Department Recently as She Already Requested and Paid for Her Fire Inspection Last Year, but They Did Not Come Out to Inspect. Provider Called the Number She Was Asked to Call by the Fire Departme**

13A.15.05.01A

- **Licensing Specialist Observed a Diapering Pad with a Tear in It.**

13A.15.05.03E(3)

- **Licensing Specialist Did Not Observe a Lock on the Laundry Room Door During the Inspection.**

13A.15.05.04B(2)

- **Licensing Specialist Observed an Insect Repellant Candle Under a Table on the Ground, No Gate at the Top of the Basement Steps, and the First Concrete Step in Disrepair.**

13A.15.05.05A

- **Licensing Specialist Did Not Observe an Approved Emergency and Disaster Plan for the Child Care Home.**

13A.15.10.01A(1)

Jul 28, 2023 1 Finding ● 1 Important

- **Licensing Specialist Was Not Able to Review the Emergency Forms During the Inspection. They Were on the First Level of the Home. LS Asked the Provider if She Would Like to Take the Children to the First Floor to Retrieve the Items Then Return to the Basement, but She Stated This Would Be Difficult F**

13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.