

## Child's Nurturing Center

Old Westminster Pike  
Finksburg, MD

### 2 Inspection Visits Since 2025 · 13 Findings

Most recent inspection: May 22, 2026

● 13 Important

Across 2 inspections since 2025, the issues cited most often were There Was a File That Was Missing Part I of the Health Inventory. (2), There Was a Diaper Mat That Had a Rip in It. A New Diaper Mat Was Placed in the Diapering Area During the Inspection. (2), and A Child Was Admitted to Care Without Part I and Part II of the Health Inventory. (1). None of the 13 findings were critical.

### Inspection Visits

**May 22, 2026** 11 Findings ● 11 Important

- **A Child Was Admitted to Care Without Part I and Part II of the Health Inventory.**  
13A.16.03.02A
- **There Were Three Emergency Forms That Did Not Have the Doctor's Name, Address and Telephone Number. One of These Emergency Forms Was Corrected at the Inspection.**  
**There Was One Emergency Form That Was Missing the Doctor's Name and Telephone Number.**  
13A.16.03.04C
- **There Was a File That Was Missing Part I of the Health Inventory.**  
13A.16.03.04D(1-2)
- **There Were Two Files That Were Missing Part II of the Health Inventory. One Health Inventory Was Faxed Over the Center During the Inspection.**  
13A.16.03.04D(3)
- **There Were Two Diaper Genies That Did Not Have Lids. The Center Ordered New Diaper Genies During the Inspection.**  
13A.16.05.11D(2)
- **There Were Four Files That Did Not Have Documentation of the Staff Orientation.**  
13A.16.06.02

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **There Was One Medical That Was Over Five Years.**  
13A.16.06.04A(4)
- **There Was an Infant Toddler Plan That Was Dated in January of 2026.**  
13A.16.09.02C
- **There Was a Diaper Mat That Had a Rip in It. A New Diaper Mat Was Placed in the Diapering Area During the Inspection.**  
13A.16.09.03B(4)
- **There Was a Freezer That Did Not Have a Thermometer. A Thermometer Was Placed in the Freezer During the Inspection.**  
13A.16.12.04F(4)
- **There Were Four Bottles That Were Not Dated. The Bottles Were Dated During the Inspection.**  
13A.16.12.06E(1)

**May 15, 2025** 2 Findings ● 2 Important

- **There Was a Bathroom That Did Not Have Paper Towels. Paper Towels Were Placed in the Bathroom During the Inspection.**  
13A.16.05.08I
- **There Were Three U Chairs That Were Ripped and the Contents Were Showing. The Staff Removed the U Chairs During the Inspection.**  
13A.16.09.03B(4)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.