

Ana Lewis

Ruxton Dr
Elkridge, MD

1 Inspection Visit Since 2025 · 4 Findings

Most recent inspection: Dec 8, 2025

● 4 Important

Across 1 inspection since 2025, the issues cited most often were A Daily Attendance Record Was Not Available for Review During This Inspection. (1), A Fire Drill Record Was Not Available for Review During This Inspection. Correct and Submit Correction to OCC. (1), and Two Emergency Forms Were Not Annually Updated. Correct and Submit Correction to OCC. (1). None of the 4 findings were critical.

Inspection Visits

Dec 8, 2025 4 Findings ● 4 Important

- **A Daily Attendance Record Was Not Available for Review During This Inspection.**
13A.15.03.03B
- **A Fire Drill Record Was Not Available for Review During This Inspection. Correct and Submit Correction to OCC.**
13A.15.03.03F
- **Two Emergency Forms Were Not Annually Updated. Correct and Submit Correction to OCC.**
13A.15.03.04A(3)
- **Two Children Did Not Have Evidence of a Blood Lead Test. Correct and Submit Correction to OCC.**
13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.