

## Saadia Khan

Dublin Drive  
Lutherville, MD

### 2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Mar 12, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Back Door Leading to the Outside Play Area Was Broken. The Provider Stated That They Have Had Someone Come Look at It. The Provider Will Submit to Licensing a Picture of the Door Once It Has Been Replaced. (1), The Provider Did Not Have a Current Fire Inspection. The Last Fire Inspection Is Dated 4/23/2022. The Provider Has Been in Contact with the Fire Department During the Week of 3/18/2024. Provider to Forward the Completed Fire Inspection Once Received to Licensing Specialist. (1), and Two Children Were Missing Their Lead Test. (1). None of the 5 findings were critical.

### Inspection Visits

Mar 12, 2025 1 Finding ● 1 Important

- **The Back Door Leading to the Outside Play Area Was Broken. The Provider Stated That They Have Had Someone Come Look at It. The Provider Will Submit to Licensing a Picture of the Door Once It Has Been Replaced.**

13A.15.05.05A

Mar 25, 2024 4 Findings ● 4 Important

- **The Provider Did Not Have a Current Fire Inspection. The Last Fire Inspection Is Dated 4/23/2022. The Provider Has Been in Contact with the Fire Department During the Week of 3/18/2024. Provider to Forward the Completed Fire Inspection Once Received to Licensing Specialist.**

13A.15.02.03B(2)

- **Two Children Were Missing Their Lead Test.**

13A.15.03.04C

- **The Provider's Substitute Has Not Been Printed Since 4/2018. Substitute Will Get Printed as Soon as Possible.**

13A.15.06.03D(4)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Did Not Have Fragrance Free Soap in the Emergency Kit. Provider to Submit a Picture to Licensing of the Front and Back of Fragrance Free Soap That Is Purchased.**

13A.15.10.01H(1)

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.