

Kiddie Academy of Hanover

Dorsey Road
Hanover, MD

1 Inspection Visit Since 2025 · 9 Findings

Most recent inspection: Jul 29, 2025

● 9 Important

Across 1 inspection since 2025, the issues cited most often were Licensing Specialist Observed One Incomplete Health Inventory I Form. (2), Licensing Specialist Observed an Emergency Form Missing the Individual Authorized to Pick Up the Child in an Emergency. The Parent Wrote Their Name and Information in This Area. (1), and Licensing Specialist Observed Paint in Disrepair in Rooms: 1, 3, 6, 8, 10, 11, and 13; A Counter Piece Behind a Sink Not Sealed in Room 5; Toilet Seats Not Secured in Rooms 7, 8, 10, and 11; Two Inoperable Toilets Between Rooms 10 and 11; And Caulking That Is Supposed to Seal the Toilets to the Floor (1). None of the 9 findings were critical.

Inspection Visits

Jul 29, 2025 9 Findings ● 9 Important

- **Licensing Specialist Observed an Emergency Form Missing the Individual Authorized to Pick Up the Child in an Emergency. The Parent Wrote Their Name and Information in This Area.**

13A.16.03.04C

- **Licensing Specialist Observed One Incomplete Health Inventory I Form.**

13A.16.03.04D(1-2)

- **Licensing Specialist Observed One Incomplete Health Inventory II Form.**

13A.16.03.04D(3)

- **Licensing Specialist Observed Paint in Disrepair in Rooms: 1, 3, 6, 8, 10, 11, and 13; A Counter Piece Behind a Sink Not Sealed in Room 5; Toilet Seats Not Secured in Rooms 7, 8, 10, and 11; Two Inoperable Toilets Between Rooms 10 and 11; And Caulking That Is Supposed to Seal the Toilets to the Floor**

13A.16.05.01A(1)

- **Licensing Specialist Observed More Than One Incomplete OCC 1204 Medical Report.**

13A.16.06.04A(1)

- **Licensing Specialist Observed More Than One Incomplete Infant Toddler Individualized Activity Plan.**

13A.16.09.02C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Room 7 Being Used as a Storage Room.**

13A.16.09.06E

- **Licensing Specialist Observed a Box of Plastic Utensils in the Kitchen with the Plastic Broken and Utensils Not Protected From Contamination.**

13A.16.12.04G

- **Licensing Specialist Observe a Bottle in a Backpack in Room 1 That Was Not Rinsed After Being Used to Feed an Infant. Corrected During Inspection. The Staff in the Room Rinsed the Bottle and Placed It Back in the Child's Bag.**

13A.16.12.06E(5)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.