

## Kimberly Zinkand

Middleburg Road  
Union Bridge, MD

### 3 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Mar 26, 2026

● 4 Important

Across 3 inspections since 2024, the issues cited most often were The Three Gates to the Pool Were Unlocked. The Provider's Husband Locked the Gates During the Inspection. (1), There Was in an Outlet That in the Area Where Children Play That Was Not Capped. The Provider Capped It During the Inspection. (1), and There Were Two Face Plates That Were Missing for the Light Switch and the Outlets in the Bathroom. There Was a Container of Clorox Wipes on the Toilet. There Was a Wax Scentsy That Was Plugged in Where the Children Play. It Was Accessible to Children in Care. The Face Plates Were Placed on the Ligh (1). None of the 4 findings were critical.

### Inspection Visits

Mar 26, 2026 1 Finding ● 1 Important

● **The Three Gates to the Pool Were Unlocked. The Provider's Husband Locked the Gates During the Inspection.**

13A.15.05.05C

Feb 18, 2025 2 Findings ● 2 Important

● **There Was in an Outlet That in the Area Where Children Play That Was Not Capped. The Provider Capped It During the Inspection.**

13A.15.05.04B(1)

● **There Were Two Face Plates That Were Missing for the Light Switch and the Outlets in the Bathroom. There Was a Container of Clorox Wipes on the Toilet. There Was a Wax Scentsy That Was Plugged in Where the Children Play. It Was Accessible to Children in Care. The Face Plates Were Placed on the Ligh**

13A.15.10.02

Mar 12, 2024 1 Finding ● 1 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Did Not Observe a Lead Screening or Test for 4 Children in Care. Provider Must Obtain Lead Testing or Screening Results or an Appointment to Obtain Results and Send Evidence to the OCC.**

13A.15.03.02B

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.