

Y of Central Maryland Baltimore County Head Start Riverview

Kessler Road
Baltimore, MD

3 Inspection Visits Since 2025 - 13 Findings

Most recent inspection: Feb 24, 2026

● 13 Important

Across 3 inspections since 2025, the issues cited most often were LS Observed 2 Relocated Soap Container Areas with Uncovered Holes and Cracked Paint on the Walls of 2 of the 3 Children bathrooms.

LS Observed in Classroom #1, Chipped Paint and a Loose Screw with Gaping Holes Where a Shelving Unit Is Supposed to Be Secured to the Wall.

These Walls Need to Be Repai (2), LS Did Not Observe an Employment Medical Evaluation for 4 Staff. (2), and LS Observed That the Child's Medical Documentation Is Inconsistent Between the Doctor and Parent Statements. The Parent Has Conflicting Written Responses for Health Conditions and Medication on the Emergency Form and the Health Assessment I. According to the Health Assessment II Form on File, the Ch (1). None of the 13 findings were critical.

Inspection Visits

Feb 24, 2026 2 Findings ● 2 Important

- **LS Observed That the Child's Medical Documentation Is Inconsistent Between the Doctor and Parent Statements. The Parent Has Conflicting Written Responses for Health Conditions and Medication on the Emergency Form and the Health Assessment I. According to the Health Assessment II Form on File, the Ch**

13A.16.03.04C

- **OCC Received a Report of a Child Incident Resulting in Treatment by a Medical Professional. LS Observed That the Child's Medical Documentation Is Inconsistent Between the Doctor and Parent Statements. The Parent Has Conflicting Written Responses for Health Conditions and Medication on the Emergency**

13A.16.07.06A

Nov 14, 2025 1 Finding ● 1 Important

- **The Operator Did Not Immediately on October 24, 2025, Notify the Office of a Telephone Number Change at the Center When the Telephone System Became Inoperable.**

13A.16.03.06E(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jan 24, 2025 10 Findings ● 10 Important

- **LS Observed 1 Child in Need of 4 Year Old Immunizations. Program Will Request Updated Immunization Records From Parents, Then Submit a Copy to OCC.**

13A.16.03.04G

- **LS Did Not Observe Record of Required Training for staff.
LS Did Not Observe Record of Experience for 3 staff.
LS Did Not Observe Function of Positions for Staff.
LS Did Not Observe Verification of Age for 3 Staff.
LS Did Not Observe an Employment Medical Evaluation for 5 staff.
LS Did Not Observe**

13A.16.03.05C

- **LS Observed 2 Relocated Soap Container Areas with Uncovered Holes and Cracked Paint on the Walls of 2 of the 3 Children bathrooms.
LS Observed in Classroom #1, Chipped Paint and a Loose Screw with Gaping Holes Where a Shelving Unit Is Supposed to Be Secured to the Wall.
These Walls Need to Be Repai**

13A.16.05.01A(1)

- **LS Observed 2 Relocated Soap Container Areas with Uncovered Holes and Cracked Paint on the Walls of 2 of the 3 Children bathrooms.
LS Observed in Classroom #1, Chipped Paint and a Loose Screw with Gaping Holes Where a Shelving Unit Is Supposed to Be Secured to the Wall.
These Walls Need to Be Repai**

13A.16.05.01A(2)

- **LS Did Not Observe Verification of Age for 3 Staff.**

13A.16.06.01

- **LS Did Not Observe Record of COMAR Orientation for 9 Staff.**

13A.16.06.02

- **LS Did Not Observe an Employment Medical Evaluation for 4 Staff.**

13A.16.06.04A(1)

- **LS Observed 1 Staff Medical Evaluation That Need to Be Updated.**

13A.16.06.04A(4)

- **LS Observed a Multiple Outlet Power Strip on the #2 Classroom Floor with Out Every Accessible Electrical Socket Capped. These Electrical Sockets Should Be Plugged or Capped at All Times.**

13A.16.10.04F

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed 3 Medications with 2024 Expiration Dates. These Medications Should Be Returned to Parents or Discarded. Program Should Request Non-expired Medications for the Child with Appropriate Labeling.**

13A.16.11.04E(1)(b)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.