

Blessed Trinity Learning Center

Old Court Road
Pikesville, MD

2 Inspection Visits Since 2025 - 13 Findings

Most recent inspection: Mar 10, 2026

● 13 Important

Across 2 inspections since 2025, the issues cited most often were New Releases Are Needed for the Previous Anniversary. (3), LS Observed That the Authorized Pick Up Person Was Not on Child's Emergency Form. (2), and There Is No Process the Teachers Use to Account for the Whereabouts of Children While They Are in Care. It Was Stated That the Teachers Usually Just Count Children. (1). None of the 13 findings were critical.

Inspection Visits

Mar 6, 2025 1 Finding ● 1 Important

- **LS Observed That the Authorized Pick Up Person Was Not on Child's Emergency Form.**
13A.16.03.04C

Jan 8, 2025 12 Findings ● 12 Important

- **New Releases Are Needed for the Previous Anniversary.**
13A.16.02.03C(3)(a)
- **Insurance, Staffing Patterns and Personnel List Are Still Needed for the Previous Anniversary.**
13A.16.02.03C(3)(b)
- **The Current and Past Fire Inspection for 2023 Were Needed for the Past Anniversary.**
13A.16.02.03C(4)
- **There Is No Process the Teachers Use to Account for the Whereabouts of Children While They Are in Care. It Was Stated That the Teachers Usually Just Count Children.**
13A.16.03.03B(1)
- **There Were Several Children Missing the Doctors Information, Parent Signature and Parent Date.**
13A.16.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Center Does Not Track the Food, Liquids, Diaper Changing and Napping of Children Daily. They Do Have Pro-care Where They Have Some of the Information They Send the Parents on a Daily Basis.**
13A.16.03.04K
- **There Is No Complete Personnel List Found at the Center. The One the Center Had Was Incomplete.**
13A.16.03.05A
- **Staffing Patterns Were Not Posted, but They Were Posted During the Inspection They Were in the Office Being Laminated.**
13A.16.03.05B
- **A Child B. Was Injured and Taken to the Hospital on Friday January 3, 2025. The Center Did Not Notify OCC.**
13A.16.03.06C(3)
- **The Infant Room Door and Frame Did Not Latch Properly and Was Wobbly. The Top of the Frame Had a Screw Sticking Out of It.**
13A.16.05.01A(1)
- **The Diapering Pail in the Infant Room Did Not Have a Lid. A Broken Lid Was Placed on the Trash Can During the Inspection.**
13A.16.05.11D(2)
- **A Child, B., in the Infant Room Fell and Hit Her Face on a Metal Cart Where the Refrigerator and Bottle Warmer Are and Her 2 Front Teeth Were Injured and Pushed Forward Where the Root and Socket Were Exposed. There Was No Approved School Age Teacher in the School Age Room Where There Were 23 Child**
13A.16.07.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.