

Cheryl Abbott

Senta Court
Baltimore, MD

2 Inspection Visits Since 2024 - 7 Findings

Most recent inspection: May 6, 2026

● 7 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Did Not Have a Record of Completed Fire and Emergency Drills for 2025. The Provider Corrected This Non-compliance by Giving This Specialist a Statement of Correction During This Inspection. (2), The Provider Did Not Have Lead Test Results for Two Children. Please Correct by Sending Copies of Lead Test Results. (2), and The Provider Did Not Have an Attendance Record. Please Correct by Sending This Specialist Copies of Completed Attendance Records and a Statement of Correction. (1). None of the 7 findings were critical.

Inspection Visits

May 6, 2026 5 Findings ● 5 Important

- **The Provider Did Not Have an Attendance Record. Please Correct by Sending This Specialist Copies of Completed Attendance Records and a Statement of Correction.**
13A.15.03.03B
- **The Provider Did Not Have Documentation Regarding Parents Receiving Information About the Licensing Agency. Please Correct by Sending Acknowledgement Forms.**
13A.15.03.03E
- **The Provider Did Not Have a Record of Completed Fire and Emergency Drills for 2025. The Provider Corrected This Non-compliance by Giving This Specialist a Statement of Correction During This Inspection.**
13A.15.03.03F
- **The Provider Did Not Have Lead Test Results for Two Children. Please Correct by Sending Copies of Lead Test Results.**
13A.15.03.04C
- **Last Fire Inspection Was Completed in July 2024. Please Correct by Sending This Specialist a Copy of a Recent Fire Inspection Report.**
13A.15.05.01A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

May 9, 2024 2 Findings ● 2 Important

- **The Provider Was Unable to Locate a Log When the Fire and Emergency Drills Were Completed.**

13A.15.03.03F

- **One Child Was Missing the Physician Information and Home Address on Their Emergency Card as Well as Their Lead Test, and Another Child Was Missing Health Inventory Part 1.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.