

Dorothea Frazier

Prince Edward Drive
White Plains, MD

3 Inspection Visits Since 2024 · 11 Findings

Most recent inspection: Mar 18, 2026

● 11 Important

Across 3 inspections since 2024, the issues cited most often were There Are Two Children in Care Who Are Missing an Emergency Form. The Provider Gave the Forms Back to the Parents to Update and They Did Not Return the Forms. Please Obtain the Forms and Send a Copy to the OCC. There Is One Child in Care Whose Emergency Form Does Not Have the Doctor's Name and Phone (3), The Hot Water Temperature Was Registering at 140 Degrees Fahrenheit During the Inspection. Please Forward Evidence to the OCC Displaying That the Hot Water Temperature Does Not Exceed 120 Degree Fahrenheit. (2), and The Provider Did Not Complete the 2024 Update to the Basic Health and Safety Training. Please Complete the Update to the 2024 Basic Health and Safety Training and Forward Your Certificate to the OCC. (2). None of the 11 findings were critical.

Inspection Visits

Mar 18, 2026 2 Findings ● 2 Important

- **There Are Two Children in Care Who Are Missing an Emergency Form. The Provider Gave the Forms Back to the Parents to Update and They Did Not Return the Forms. Please Obtain the Forms and Send a Copy to the OCC. There Is One Child in Care Whose Emergency Form Does Not Have the Doctor's Name and Phone**

13A.15.03.04A(1)

- **There Are Three Children in Care Who Need Their Emergency Forms Updated, Initialed, and Dated by the Parents. Please Have the Parents Complete This and Send a Copy to the OCC.**

13A.15.03.04A(3)

May 19, 2025 5 Findings ● 5 Important

- **2 Children Did Not Have Written Permission Regarding Transportation. Please Obtain Written Permission From Both Children's Parents and Forward a Copy of the Signed Documents to the OCC.**

13A.15.03.04B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **4 Children Do Not Have Evidence of Having Had a Blood Lead Test at 2 Years of Age. 1 Child Does Not Have Documentation of Blood Lead Test Results Due to a Religious Objection. The Doctor Signed the Religion Objection Section of the Form: However, the Parent Still Needs to Sign. 1 Child Does Not Have**
13A.15.03.04C
- **The Hot Water Temperature Was Registering at 140 Degrees Fahrenheit During the Inspection. Please Forward Evidence to the OCC Displaying That the Hot Water Temperature Does Not Exceed 120 Degree Fahrenheit.**
13A.15.05.01E
- **The Provider Did Not Complete the 2024 Update to the Basic Health and Safety Training. Please Complete the Update to the 2024 Basic Health and Safety Training and Forward Your Certificate to the OCC.**
13A.15.06.02B(1)
- **The Provider Did Not Update Her Emergency and Disaster Plan in 2024. The Provider Updated Her Emergency and Disaster Plan During the Inspection.**
13A.15.10.01A(4)

May 21, 2024 4 Findings ● 4 Important

- **One of the Provider's Substitutes Has Not Had a Medical Evaluation Completed Since May 2021. Please Submit an Updated Medical Evaluation to the OCC for This Substitute as Soon as Possible.**
13A.15.02.03B(2)
- **One Child's Emergency Form Is Missing an Emergency Contact Person. Please Have the Parent of This Child Add an Emergency Contact Person and Forward a Photo of the Completed Emergency Form to the OCC.**
13A.15.03.04A(1)
- **The Hot Water Temperature Is Registering at 130 Degrees Fahrenheit. Please Adjust Your Water Heater So That the Hot Water Temperature Does Not Exceed 120 Degrees Fahrenheit and Notify the OCC Once This Task Has Been Accomplished.**
13A.15.05.01E
- **The Provider Did Not Complete the Annual Update to the Basic Health and Safety Training Which Was Due March 31, 2024. Please Submit Your Certificate of Completion to the OCC Once Obtained.**
13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.