

Wanda Peyton

Stream Walk Way
Chesapeake Beach, MD

3 Inspection Visits Since 2023 · 13 Findings

Most recent inspection: Oct 17, 2025

● 13 Important

Across 3 inspections since 2023, the issues cited most often were When Licensing Specialist Arrived, the Gate Blocking the Stairs to the Upper Level of the Home Was Unlatched, Which Allowed Access to the Stairs. During the Inspection Today, There Were 5 Children Younger Than 5 Years Old Present in Care. Licensing Specialist Closed and Latched the Gate, So This W (2), Accessible Cleaning Supplies Was Cited and Corrected Under 05.04. When Licensing Specialist Arrived, the Door to the Washing Machine Was Open. This Is a Potential Hazard to Children, as Smaller Children Could Climb Into It and Close the Door and Become Stuck Inside. Provider Closed the Washing Ma (2), and Licensing Specialist Reviewed 7 Emergency Forms. All 7 Emergency Forms Need to Be Updated. Please Have Parents Update and Add to Files. Please Send Copies to LS. (2). None of the 13 findings were critical.

Inspection Visits

Oct 17, 2025 3 Findings ● 3 Important

- **When Licensing Specialist Arrived, the Gate Blocking the Stairs to the Upper Level of the Home Was Unlatched, Which Allowed Access to the Stairs. During the Inspection Today, There Were 5 Children Younger Than 5 Years Old Present in Care. Licensing Specialist Closed and Latched the Gate, So This W**
13A.15.05.04B(2)
- **Licensing Specialist Observed Child Proof Latches on the Cabinets Under the Bathroom Sink, but They Were Unlatched. The Cabinet Contained Multiple Cleaning Products, Which Are Potentially Hazardous to Children. Licensing Specialist Relatched the Cabinets, So This Is Corrected. Provider Is Reminde**
13A.15.05.04B(3)
- **Accessible Cleaning Supplies Was Cited and Corrected Under 05.04. When Licensing Specialist Arrived, the Door to the Washing Machine Was Open. This Is a Potential Hazard to Children, as Smaller Children Could Climb Into It and Close the Door and Become Stuck Inside. Provider Closed the Washing Ma**
13A.15.10.02

Oct 18, 2024 6 Findings ● 6 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During Inspection Today, There Was No Health Inventory Form for One Child. There Is One Child Who Needs an Updated Immunization Record Added to Her File. Please Obtain From Parents and Add to Children's Files Please Send Copies to LS.**
13A.15.03.02A
- **There Were Two Children Who Were Missing Blood Lead Test Results From Their Files During the Inspection Today. Please Obtain From Parents and Add to Children's Files. Please Send Copies to LS.**
13A.15.03.02B
- **During the Inspection Today, LS Did Not Observe Documentation That the Guide to Regulated Child Care Was Given to Two Children, Who Are Siblings. Please Obtain From Parents and Add to Children's Files. Please Send Copies to LS.**
13A.15.03.03E
- **Licensing Specialist Reviewed 7 Emergency Forms. All 7 Emergency Forms Need to Be Updated. Please Have Parents Update and Add to Files. Please Send Copies to LS.**
13A.15.03.04A(3)
- **Provider Stated She Has Been Preparing Lunch Upstairs in the Kitchen and Leaving the Children Who Are Over 2 in the Basement Child Care Area While Doing So. Provider Has a Camera in the Basement and a Monitor and Stated She Was Able to Maintain Supervision in That Way. Regulations Require All Awak**
13A.15.08.01B(4)
- **There Is One Child Enrolled Who Has an Epi-Pen Stored at the Home. The Medication Administration Form Completed by the Health Care Provider 'Expired' in 2023, as the Form Is Only Good for 12 Months. Please Have the Parent Obtain a Current Medication Administration Form for This Medication and Add**
13A.15.11.04A(1)(b)

Oct 24, 2023 4 Findings ● 4 Important

- **Emergency Form for CS Is Missing Health Care Provider Information. There Is an Emergency Form for TH's Siblings, but TH Is Not Listed on the Form. Please Have Parents or Guardians Add This Information to Emergency Forms and Add to Children's Files. Please Send Copies to Licensing Specialist.**
13A.15.03.04A(1)
- **Provider Did Not Immediately Wash Her Hands After Diapering While Licensing Specialist Was Present.- Provider Was Wearing Gloves. Provider Did Wash Her Hands, So This Is Corrected. Provider Is Reminded That She Should Wash Her Hands, Even if She Is Wearing Gloves, After Every Diaper Change, as Wel**
13A.15.05.03D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider's 1st Aid and CPR Training Expired in July 2023. Provider Is Scheduled for a Class on November 4, 2023. Once Class Is Completed, Please Send Copies of Cards to Licensing Specialist.- Provider Is Reminded 1st Aid and CPR Training Is to Be Kept Current at All Times. Licensing Specialis**
13A.15.06.02D(1)
- **Licensing Specialist Observed Prescription Eye Drops and Deodorant in an Unlatched Drawer in the Basement Bathroom Cabinet. Please Relocate These Items to a Latched Drawer or Another Location That Is Inaccessible to the Children. Send Written Plan of Correction or Photo to Licensing Specialist.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.