

Station Imagination

Bayard Road
Lothian, MD

3 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: Nov 24, 2025

● 14 Important

Across 3 inspections since 2025, the issues cited most often were Licensing Specialist Did Not Observe Six Hours of Continued Training Completed for One Aide for Their Last Full Year of Employment. (2), Licensing Specialist Did Not Observe Infant Bottles Dated in Room 3B During the Inspection. Corrected During Inspection. The Teacher Dated the Bottles During the Inspection. (2), and Upon Arrival of Inspection, Two Aides Were Supervising Toddlers in Room 3B Infants/Toddlers. LS Observed the Teacher Assigned to This Room on the Staffing Pattern Leave for a Medical Appointment During the Inspection. (2). None of the 14 findings were critical.

Inspection Visits

Nov 24, 2025 7 Findings ● 7 Important

- **Licensing Specialist Observed Paint in Disrepair in Room 3A Near the Cubbies and by the Dress Up Area.**
13A.16.05.01A(1)
- **Licensing Specialist Did Not Observe 12 Hours of Continued Training Completed by the Director for Their Last Full Year of Employment Based on Their Hire Date on the Personnel List.**
13A.16.06.05C(1)
- **Licensing Specialist Did Not Observe 12 Hours of Continued Training Completed by Two Teachers for Their Last Full Year of Employment Based on Their Hire Dates on the Personnel List.**
13A.16.06.09C
- **Licensing Specialist Did Not Observe Six Hours of Continued Training Completed for One Aide for Their Last Full Year of Employment.**
13A.16.06.12B(1)
- **Licensing Specialist Did Not Observe the 3 Hour Basic Health and Safety Training nor the 2024 Health and Safety Training Completed by One Aide.**
13A.16.06.12B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Did Not Observe Infant Bottles Dated in Room 3B During the Inspection. Corrected During Inspection. The Teacher Dated the Bottles During the Inspection.**

13A.16.12.06E(1)

- **Licensing Specialist Did Not Observe Infant Bottles Dated in Room 3B, and No Thermometer in the Refrigerator. Corrected During Inspection. A Thermometer Was Placed in the Refrigerator During the Inspection and the Teacher Dated Bottles.**

13A.16.12.06E(1)

Nov 19, 2025 5 Findings ● 5 Important

- **Licensing Specialist Did Not Observe Evidence of Lead Testing for a Three Year Old Child That Was Enrolled in the Program Since 2023. This Child Is No Longer Enrolled as of November 17, 2025. Director Demonstrated Evidence of a Request for the Lead Testing From the Parent via Email on September 25,**

13A.16.03.02E

- **Licensing Specialist Did Not Observe Evidence of Lead Testing for a Three Year Old Child That Was Enrolled in the Program Since 2023. This Child Is No Longer Enrolled as of November 17, 2025. Director Demonstrated Evidence of a Request for the Lead Testing From the Parent via Email on September 25,**

13A.16.03.04E

- **Upon Arrival of Inspection, Two Aides Were Supervising Toddlers in Room 3B Infants/Toddlers. LS Observed the Teacher Assigned to This Room on the Staffing Pattern Leave for a Medical Appointment During the Inspection.**

13A.16.03.05B

- **Upon Arrival of Inspection, Two Aides Were Supervising Toddlers in Room 3B Infants/Toddlers. LS Observed the Teacher Assigned to This Room Leaving for a Medical Appointment During the Inspection.**

13A.16.08.01A(2)(b)

- **Upon Arrival of Inspection, Two Aides Were Supervising Toddlers in Room 3B Infants/Toddlers. LS Observed the Teacher Assigned to This Room Leaving for a Medical Appointment During the Inspection.**

13A.16.08.02B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Sep 2, 2025 2 Findings ● 2 Important

- **Licensing Specialist Did Not Observe Update Staffing Patterns for All Rooms Yet. The Facility Has Updated Two Staffing Patterns So Far. Facility Director Stated They Would Be Completed Tonight.**
13A.16.03.05B
- **Licensing Specialist Observed Cups, Bibs, and Tops on a Dish Drying Rack in Room 4's Bathroom.**
13A.16.05.11A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.