

Karen Shaver

Gray Haven Rd
Dundalk, MD

1 Inspection Visit Since 2025 - 7 Findings

Most recent inspection: Apr 21, 2025

● 7 Important

Across 1 inspection since 2025, the issues cited most often were Provider Has Not Been Conducting Fire and Disaster Drills. Correct Immediately. (2), Health Assessment and Emergency Form Were Missing for a Child. Correct Immediately. (1), and Lead Test Report Was Missing for Some Children. Correct Immediately. (1). None of the 7 findings were critical.

Inspection Visits

Apr 21, 2025 7 Findings ● 7 Important

● **Health Assessment and Emergency Form Were Missing for a Child. Correct Immediately.**

13A.15.03.02A

● **Lead Test Report Was Missing for Some Children. Correct Immediately.**

13A.15.03.02B

● **Provider Stated She Has Not Conducted Fire and Emergency Drills. Correct Immediately.**

13A.15.03.03F

● **Provider Did Not Have an Emergency Information Form for a child..Correct Immediately,**

13A.15.03.04A(1)

● **Health Assessment, Blood Lead Test Report Were Missing for a Child. Correct Immediately.**

13A.15.03.04C

● **Provider Has Not Been Conducting Fire and Disaster Drills. Correct Immediately.**

13A.15.10.01A(3)

● **The Plan Had Not Been Updated Since It Was Created. Correct Immediately.**

13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.