

Kiddie Kampus

Old Ocean City Road
Pittsville, MD

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Apr 24, 2026

● 2 Important

Across 1 inspection since 2025, the issues cited most often were On the Day of the Incident, a Child Was Able to Exit the Building Unnoticed and Unsupervised, Ultimately Reaching an Outdoor Location Off the Child Care Premises. (1) and During the Incident, a Child Was Not Adequately Supervised and Was Able to Leave the Building and Grounds Without Staff Awareness. (1). None of the 2 findings were critical.

Inspection Visits

Sep 15, 2025 2 Findings ● 2 Important

- **On the Day of the Incident, a Child Was Able to Exit the Building Unnoticed and Unsupervised, Ultimately Reaching an Outdoor Location Off the Child Care Premises.**

13A.16.07.06A

- **During the Incident, a Child Was Not Adequately Supervised and Was Able to Leave the Building and Grounds Without Staff Awareness.**

13A.16.08.01A(2)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.