

Childtime

East Fort Avenue
Baltimore, MD

3 Inspection Visits Since 2023 - 12 Findings

Most recent inspection: Jan 21, 2026

● 12 Important

Across 3 inspections since 2023, the issues cited most often were The Center Did Not Conduct Monthly Fire Drills Monthly or Emergency Drills Twice per Year. (2), The Center Did Not Notify of Office of a New Employee. The Noncompliance Was Corrected During the Inspection. (1), and A Child Care Teacher Did Not Complete 12 Hours of Annual Training. (1). None of the 12 findings were critical.

Inspection Visits

Feb 12, 2024 3 Findings ● 3 Important

● **The Center Did Not Notify of Office of a New Employee. The Noncompliance Was Corrected During the Inspection.**

13A.16.03.06A(1)

● **A Child Care Teacher Did Not Complete 12 Hours of Annual Training.**

13A.16.06.09C

● **Observed an Unapproved Person Working in the Infant Classroom. The Noncompliance Was Corrected During the Inspection.**

13A.16.07.06A

Jan 17, 2024 3 Findings ● 3 Important

● **Observed One (1) School Age Child at the Center During the Inspection. The Program Is Not Approved for School Age Children. The Noncompliance Was Corrected During the Inspection.**

13A.16.04.02D

● **Observed an Unreported Staff Member in the Infant Classroom. The Non Compliance Was Corrected During the Inspection.**

13A.16.08.01A(2)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Infant A Classroom Was Out of Ratio for 45 Minutes. The Non-compliance Was Corrected During the Inspection.**

13A.16.08.03A

Oct 12, 2023 6 Findings ● 6 Important

- **The Center Did Not Maintain a Current and Complete Staff Personnel List.**

13A.16.03.05A

- **The Staffing Patterns Posted Were Not Current.**

13A.16.03.05B

- **Observed a Large Pile of Trash, Toys, and Materials in the Back Hallway Lobby.**

13A.16.05.01A(2)

- **The Center Did Not Conduct Monthly Fire Drills Monthly or Emergency Drills Twice per Year.**

13A.16.10.01A(3)(c)

- **The Emergency and Disaster Plan Was Not Updated Annually.**

13A.16.10.01A(3)(d)

- **The Emergency Contact Number Posted in Several Classrooms Were Not Current And/or Not Posted in Other Classrooms.**

13A.16.10.01C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.