

Nicole Whittaker

Mallview Road
Baltimore, MD

2 Inspection Visits Since 2023 - 6 Findings

Most recent inspection: Sep 11, 2025

● 6 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed One Child Without Lead Results. (2), LS Did Not Observe Liquid Fragrance Free Soap in the First Aid Kit. (1), and LS Observed an Infant in a Swing Asleep. (1). None of the 6 findings were critical.

Inspection Visits

Sep 11, 2025 2 Findings ● 2 Important

● **LS Observed One Child Without Lead Results.**

13A.15.03.04C

● **LS Did Not Observe Liquid Fragrance Free Soap in the First Aid Kit.**

13A.15.10.01H(1)

Sep 12, 2023 4 Findings ● 4 Important

● **LS Observed One Child Missing a Medical and One Child Missing Part One of the Medical.**

13A.15.03.04C

● **LS Observed an Infant in a Swing Asleep.**

13A.15.05.06H

● **LS Observed 4 Two Year Old's Watching Cartoons During Nap Time.**

13A.15.09.01B(3)

● **LS Observed a Potentially Harmful Item (Lysol) in the Bathroom on Top of the Toilet in Reach of Children.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.