

Mary Dejesus

Gross Avenue
Annapolis, MD

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: May 13, 2026

● 2 Important

Across 1 inspection since 2025, the issues cited most often were Licensing Specialist Observed No Emergency Drills Had Been Conducted by the Provider. Provider Needs to Submit a Written Statement of Their Understanding That Emergency Drills Need to Be Conducted Twice per Year. (1) and Licensing Specialist Observed That a Triangular Bandage and Fragrance Free Soap Was Missing From the Provider's First Aid Kit. Provider Needs to Obtain Items and Submit Photographic Evidence That the Two Items Have Been Obtained. (1). None of the 2 findings were critical.

Inspection Visits

May 8, 2025 2 Findings ● 2 Important

- **Licensing Specialist Observed No Emergency Drills Had Been Conducted by the Provider. Provider Needs to Submit a Written Statement of Their Understanding That Emergency Drills Need to Be Conducted Twice per Year.**

13A.15.10.01A(3)

- **Licensing Specialist Observed That a Triangular Bandage and Fragrance Free Soap Was Missing From the Provider's First Aid Kit. Provider Needs to Obtain Items and Submit Photographic Evidence That the Two Items Have Been Obtained.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.