

The Goddard School

Waterloo Road
Ellicott City, MD

3 Inspection Visits Since 2023 · 10 Findings

Most recent inspection: Aug 11, 2025

● 10 Important

Across 3 inspections since 2023, the issues cited most often were Several Infants and Toddlers Were Missing the Infant Toddler Individual Activity Plans and or Updates to the Plan. (1), LS Observed 4 Files That Were Missing Lead Screening or Testing. (1), and Three Staff Medicals Were Missing Confirmation From the Physician That the TB Test or Screening Was Completed. (1). None of the 10 findings were critical.

Inspection Visits

Aug 11, 2025 8 Findings ● 8 Important

- **Several Infants and Toddlers Were Missing the Infant Toddler Individual Activity Plans and or Updates to the Plan.**
13A.16.03.02D(2)
- **LS Observed 4 Files That Were Missing Lead Screening or Testing.**
13A.16.03.02E
- **Three Staff Medicals Were Missing Confirmation From the Physician That the TB Test or Screening Was Completed.**
13A.16.06.04A(2)
- **Several Infants and Toddlers Were Missing the Infant Toddler Individual Activity Plans and or Updates to the Plan.**
13A.16.09.02B(1)
- **Several Infants and Toddlers Were Missing the Infant Toddler Individual Activity Plans and or Updates to the Plan.**
13A.16.09.02C
- **LS Observed 3 Children's Medication Forms That Were Not Complete.**
13A.16.11.04A(1)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Room 105, and 106 Refrigerator Thermometers Were Registering Over 40 Degrees Which Is Not Sufficient for Protecting Perishable Items From Spoiling.**

13A.16.12.04A(1)

- **The Refrigerators in Rooms 105 and 106 Were Registering at Temperatures Above 40 Degrees.**

13A.16.12.05C(2)

Jul 9, 2025 1 Finding ● 1 Important

- **LS Interviewed Staff. Two Staff Had Concerns About a Teacher's Routine for Helping Children Go Down for Nap. When Expressing the Concern There Was a Follow Up Discussion with Administration. Administration States That the Concern Was Handled Within the Facility and They Found No Need to Escalate**

13A.16.07.02A(1)

Jul 13, 2023 1 Finding ● 1 Important

- **At Time of the Inspection, a New Employee Was Observing in a Classroom Without Being Cleared by the OCC. This Was Discussed with the Three Directors and Personnel Forms Were Given to the LS at Inspection.**

13A.16.06.03C(5)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.