

Kelly Clark

Stone Avenue
Waldorf, MD

2 Inspection Visits Since 2024 - 2 Findings

Most recent inspection: Mar 17, 2026

● 2 Important

Across 2 inspections since 2024, the issues cited most often were The Licensing Specilsit Observed 2 Pack-N-Play's That Had Sheets That Were Not Tightly Fitted. The Provider Will Need to Replace the Sheets with Tight Fitting Ones. Please Send a Picture of the Sheets Once on the Pack-N-Play. (1) and There Is One Child That Did Not Have Evidence of the Appropriate Lead Blood Test. One Child That Should Have a 3rd Hep B Went to the Doctor Yesterday and Received the 2nd Hep B. There May Be a Legitimate Reason for the Delay, the Provider Should Ask the Parent and if Necessary Obtain a Note of Exp (1). None of the 2 findings were critical.

Inspection Visits

Mar 12, 2025 1 Finding ● 1 Important

- **The Licensing Specilsit Observed 2 Pack-N-Play's That Had Sheets That Were Not Tightly Fitted. The Provider Will Need to Replace the Sheets with Tight Fitting Ones. Please Send a Picture of the Sheets Once on the Pack-N-Play.**

13A.15.05.06A

Mar 13, 2024 1 Finding ● 1 Important

- **There Is One Child That Did Not Have Evidence of the Appropriate Lead Blood Test. One Child That Should Have a 3rd Hep B Went to the Doctor Yesterday and Received the 2nd Hep B. There May Be a Legitimate Reason for the Delay, the Provider Should Ask the Parent and if Necessary Obtain a Note of Exp**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.