

## Martha Whalen

Santa Anita Ter  
Damascus, MD

### 3 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Mar 13, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were At the Time of Inspection, LS Could Not Observe Age-appropriate Lead Testing for Two Children in Care. LS Requested Provider Send Evidence of Age Appropriate Lead-testing for These Children. (2), At the Time of Inspection, the Provider Had Three Children Present Under Two Years of Age. The Provider Explained to LS That One Child Turns Two Years Old on Friday, March 14, 2025, and Previous LS Had Told Provider That She Could Have a Child Present if It Was the Child's Birth Month When They Wil (1), and At the Time of Inspection, the Provider Had Three Children Present Under Two Years of Age. The Provider Explained to LS That One Child Turns Two Years Old on Friday, March 14, 2025, and Previous LS Had Told Provider That She Could Have a Child Present if It Was the Child's Birth Month When They Wil (1). None of the 5 findings were critical.

### Inspection Visits

**Mar 13, 2026** 1 Finding ● 1 Important

- **At the Time of Inspection, LS Could Not Observe Age-appropriate Lead Testing for Two Children in Care. LS Requested Provider Send Evidence of Age Appropriate Lead-testing for These Children.**

13A.15.03.04C

**Mar 10, 2025** 3 Findings ● 3 Important

- **At the Time of Inspection, the Provider Had Three Children Present Under Two Years of Age. The Provider Explained to LS That One Child Turns Two Years Old on Friday, March 14, 2025, and Previous LS Had Told Provider That She Could Have a Child Present if It Was the Child's Birth Month When They Wil**

13A.15.04.03B

- **At the Time of Inspection, the Provider Had Three Children Present Under Two Years of Age. The Provider Explained to LS That One Child Turns Two Years Old on Friday, March 14, 2025, and Previous LS Had Told Provider That She Could Have a Child Present if It Was the Child's Birth Month When They Wil**

13A.15.07.07A

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of Inspection, LS Observed a Bathroom Cabinet with Hydrogen Peroxide Bottles Accessible to Children. LS Asked Provider to Add a Child Lock to the Cabinet, or to Move the Bottles to Make Them Inaccessible or Out of Reach of Children.**

13A.15.10.02

**Apr 3, 2024** 1 Finding ● 1 Important

- **At the Time of Inspection, LS Observed One Child That Did Not Have Evidence of Part I of the Health Inventory Filled Out. LS Asked Provider to Have the Child's Parent or Guardian Complete the Form and Then Submit Evidence to LS.**

13A.15.03.04C

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.