

Janel Jackson

Iron Ore
Elkridge, MD

2 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Nov 10, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were Blood Lead Tests for 2 Children Were Not Available for Review During This Inspection. (1), First Aid Kit Is Missing Scissors, Tweezers, Safety Pin, Thermometer, a Working Flashlight, and a Triangular Bandage. (1), and Provider Has Not Submitted the Landlord Approval Letter From Renewal in January 2023. (1). None of the 4 findings were critical.

Inspection Visits

Dec 2, 2024 2 Findings ● 2 Important

● **Blood Lead Tests for 2 Children Were Not Available for Review During This Inspection.**
13A.15.03.04C

● **First Aid Kit Is Missing Scissors, Tweezers, Safety Pin, Thermometer, a Working Flashlight, and a Triangular Bandage.**
13A.15.10.01H(1)

Dec 12, 2023 2 Findings ● 2 Important

● **Provider Has Not Submitted the Landlord Approval Letter From Renewal in January 2023.**
13A.15.02.03B(2)

● **2 Outlets Were Uncapped in Rooms Approved for Care. Corrected During Inspection.**
13A.15.05.04B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.