

Ashley Corcoran

Arrowhead Court
Frederick, MD

3 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Feb 25, 2026

● 13 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed No Evidence of Lead Screening Information for Two (2) Children in Care. Provider to Submit Evidence That Lead Screening Information Has Been Obtained and Is Accessible in the Child Files. (2), LS Observed Four (4) Emergency Cards That Were Not Complete, Specifically Missing the Physician's Information. Provider to Submit Evidence That the Emergency Cards Have Been Completed, Obtained, and Are Accessible in the Child Files. (2), and LS Observed No Evidence of Fragrance Free Soap, a Flashlight, Thick Pad, Scissors, Tweezers, and Disposable Wash Cloths. Provider to Submit Photographic Evidence That the Items Have Been Obtained and Are Accessible in the First Aid Kit. (2). None of the 13 findings were critical.

Inspection Visits

Feb 25, 2026 4 Findings ● 4 Important

● **LS Observed No Evidence of the Health Assessment or Portion Thereof for Two (2) Children in Care.- Provider to Submit Evidence That the Health Assessment Has Been Completed, Obtained, and Is Accessible in the Child Files.**

13A.15.03.02A

● **LS Observed No Evidence of Lead Screening Information for Two (2) Children in Care. Provider to Submit Evidence That Lead Screening Information Has Been Obtained and Is Accessible in the Child Files.**

13A.15.03.02B

● **LS Observed Four (4) Emergency Cards That Were Not Complete, Specifically Missing the Physician's Information. Provider to Submit Evidence That the Emergency Cards Have Been Completed, Obtained, and Are Accessible in the Child Files.**

13A.15.03.04A(1)

● **LS Observed No Evidence of Fragrance Free Soap, a Flashlight, Thick Pad, Scissors, Tweezers, and Disposable Wash Cloths. Provider to Submit Photographic Evidence That the Items Have Been Obtained and Are Accessible in the First Aid Kit.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Mar 4, 2025 3 Findings ● 3 Important

- **LS Observed No Evidence of Toilet Paper and Paper Towels Accessible in the Bathroom. Provider Corrected at the Time of the Inspection.**
13A.15.05.03B
- **LS Observed Electrical Sockets That Were Not Plugged or Capped. Provider Corrected at the Time of the Inspection.**
13A.15.05.04B(1)
- **LS Observed Potentially Harmful Items (Cleaning Agents, Medical Supplements, Lotions) That Were Accessible to Children in the Napping Space. Provider to Submit Photographic Evidence That All Potentially Harmful Items Have Been Made Inaccessible to Children.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Mar 19, 2024 6 Findings ● 6 Important

- **LS Observed Four (4) Children That Did Not Have Evidence of Lead Testing or a Second Lead Testing on a Form Supplied or Approved by the Licensing Agency. Provider to Have Parents Submit Evidence of Required Lead Testing and Submit Written Verification That It Has Been Submitted in Accessible in The**
13A.15.03.02B
- **LS Observed Two (2) Emergency Forms That Did Not Have the 2nd Page Available. Provider to Have the Parents Complete the 2nd Page the Emergency Form and Submit a Written Statement Verifying That the Second Page Has Been Completed and Are Accessible in the Child's File.**
13A.15.03.04A(1)
- **LS Has Two (2) Children Under That Are Enrolled in Care. Only One Child (1) Was Present Today. LS Explained That Until a Revision to the Registration Has Been Submitted and Approved for Two (2) Children Under Two (2), the Provider May Not Have More Than One (1) Child Under Two (2) in Care at Any T**
13A.15.04.03B
- **LS Observed the Water Temperature at 129.4 Degrees. Provider to Turn Down the Temperature of the Hot Water Tank and Submit Photographic Evidence That the Temperature Does Not Exceed 120 Degrees F.**
13A.15.05.01E
- **LS Observed Electrical Sockets That Were Not Plugged or Capped. Provider Plugged the Outlets at the Time of the Inspection.**
13A.15.05.04B(1)
- **LS Observed No Evidence of Liquid, Fragrance Free Soap or a Working Flashlight in the First Aid Bag. Provider to Submit Photographic Evidence That the Items Have Been Placed in the First Aid Bag.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.