

My Village Learning Center

Hamilton Avenue
Baltimore, MD

2 Inspection Visits Since 2023 · 9 Findings

Most recent inspection: Jan 20, 2026

● 9 Important

Across 2 inspections since 2023, the issues cited most often were Several Teachers Have Not Met the 12 Hour Minimum Required for Annual Continued Training. (2), LS Was Not Able to Observe Up to Date Staffing Patterns Posted in Classrooms. (1), and Program Failed to Report Staff No Longer Working in the Program. (1). None of the 9 findings were critical.

Inspection Visits

Nov 10, 2025 5 Findings ● 5 Important

● **LS Was Not Able to Observe Up to Date Staffing Patterns Posted in Classrooms.**

13A.16.03.05B

● **Program Failed to Report Staff No Longer Working in the Program.**

13A.16.03.06A(2)

● **Several Teachers Have Not Met the 12 Hour Minimum Required for Annual Continued Training.**

13A.16.06.09C

● **LS Observed a Cabinet in the Infant/toddler Room That Was Not Secured with a Lock and Cleaning Materials Inside. LS Also Observed a Staff Purse in Reach of Children.**

13A.16.10.04A

● **The Refrigerator in the Infant/Toddler Room Did Not Have a Thermometer and It Did Not Feel Colder Than 40 Degrees.**

13A.16.12.04F(3)

Dec 5, 2023 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Was Not Able to Observe the Current Fire Permit (Expired 11/6/2023), Current Boiler Certificate (Expired 10/27/2023), Updated Release of Information for 2 Staff Members, and Updated Fingerprints for Director.**

13A.16.02.03C(3)(b)

- **LS Observed Multiple Child Files That Were Missing Completed Medical Forms, Missing Lead Tests, Had No Record of Vaccination, and One File Was Also Missing the Emergency Contact Form.**

13A.16.03.04A

- **LS Was Not Able to Observe the 12 Annual Training Hours for Multiple Teachers.**

13A.16.06.09C

- **LS Was Not Able to Observe a Fire Drill for November.**

13A.16.10.01A(3)(c)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.