

Jennifer Alexander

Mayfield Avenue
Baltimore, MD

3 Inspection Visits Since 2023 · 8 Findings

Most recent inspection: Oct 16, 2025

● 8 Important

Across 3 inspections since 2023, the issues cited most often were LS Observed Emergency Form That Did Not Have Parent Signature. (2), LS Observed Multiple Children in the Program That Needed a Lead Screening Test (1), and LS Did Not Observe Current Fire Permit. (1). None of the 8 findings were critical.

Inspection Visits

Oct 16, 2025 2 Findings ● 2 Important

● **LS Observed Multiple Children in the Program That Needed a Lead Screening Test**

13A.15.03.02B

● **LS Observed Emergency Form That Did Not Have Parent Signature.**

13A.15.03.04A(3)

Oct 22, 2024 1 Finding ● 1 Important

● **LS Did Not Observe Updated Parent Signature**

13A.15.03.04A(3)

Sep 18, 2023 5 Findings ● 5 Important

● **LS Did Not Observe Current Fire Permit.**

13A.15.02.03B(2)

● **LS Did Not Observe Current Fire Drills**

13A.15.03.03F

● **LS Did Not Observe Health Inventory for 3 Children in Care.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

● **LS Observed 3 Infants at Home.**

13A.15.04.03A

● **LS Did Not Observe 12 Hr Continuing Training**

13A.15.06.02B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.