

## Rachel Smith

Foust Street  
Accokeek, MD

### 2 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: Mar 24, 2026

● 6 Important

Across 2 inspections since 2024, the issues cited most often were During Full Inspection on 2/22/2024, LS Did Not Observe a Barrier Around the AC Unit. During Follow Up Inspection on Today's Date, LS Observed a Barrier Which Does Not Adequately and Safely Restrict Access to AC Unit. (2), During Follow Up Inspection on Today's Date, Refrigerator Thermometer Is Still Required. (2), and When Provider Turned on the Knobs of the Stove, the Front Burner and the Burner in the Middle of the Stove Did Not Come On. (1). None of the 6 findings were critical.

### Inspection Visits

Jul 9, 2024 2 Findings ● 2 Important

- During Full Inspection on 2/22/2024, LS Did Not Observe a Barrier Around the AC Unit. During Follow Up Inspection on Today's Date, LS Observed a Barrier Which Does Not Adequately and Safely Restrict Access to AC Unit.

13A.15.05.05A

- During Follow Up Inspection on Today's Date, Refrigerator Thermometer Is Still Required.

13A.15.12.02B

Feb 22, 2024 4 Findings ● 4 Important

- When Provider Turned on the Knobs of the Stove, the Front Burner and the Burner in the Middle of the Stove Did Not Come On.

13A.15.05.01G

- LS Observed Truck Stuck in the Mud in the Back Yard, LS Observed an Air Pump and No Barrier on the Deck. LS Observed on Barrier Around Air Condition Unit.

13A.15.05.05A

- LS Observed Paint Can in the Backyard.

13A.15.10.02

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Fridge Temp at 42,**  
13A.15.12.02B

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.