

Debra Geiger

Heather Heights
Sykesville, MD

3 Inspection Visits Since 2023 · 13 Findings

Most recent inspection: Nov 5, 2025

● 13 Important

Across 3 inspections since 2023, the issues cited most often were There Was a Child in Care That Did Not Have a Lead Screening. (2), There Was an Emergency Form That Was Not Dated. (2), and There Was a File That Did Not Contain Documentation of a Lead Screening. There Was a File That Did Not Contain Documentation of Immunizations. (2). None of the 13 findings were critical.

Inspection Visits

Nov 5, 2025 8 Findings ● 8 Important

- **There Was a Child in Care That Did Not Have a Lead Screening.**
13A.15.03.02B
- **The Provider Did Not Document the Date and Time of the Emergency Drill. The Provider Wrote the Time and Date of the Emergency Drill During the Inspection.**
13A.15.03.03F
- **There Was an Emergency Form That Was Not Dated.**
13A.15.03.04A(1)
- **There Were Two Emergency Forms That Were Not Updated.**
13A.15.03.04A(3)
- **There Was a File That Did Not Contain Documentation of a Lead Screening. There Was a File That Did Not Contain Documentation of Immunizations.**
13A.15.03.04C
- **The Bathroom Did Not Have Paper Towels. The Provider Placed Paper Towels During the Inspection.**
13A.15.05.03B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **There Were Five Children Who Did Not Wash Their Hands with Soap and Running Water Before Eating Their Morning Snack. The Provider Used a Wipe on Their Hands Before Eating and the Children Washed Their Hands with Running Water and Soap After Eating.**

13A.15.05.03D(2)

- **The Provider Could Not Produce the 2024 Basic Health and Safety Update.**

13A.15.06.02B(1)

Nov 18, 2024 1 Finding ● 1 Important

- **The Provider's Substitute Had Her Background Checks Completed on July 29, 2019. She Has Not Been Reprinted.**

13A.15.07.07A

Dec 11, 2023 4 Findings ● 4 Important

- **There Was a File That Did Not Contain Documentation of the Lead Screening. The Child Is One Year of Age.**

13A.15.03.02B

- **There Was a File That Did Not Contain Documentation of the Lead Screening.**

13A.15.03.04C

- **The Provider's First Aid and CPR Expired in October of 2023.**

13A.15.06.02D(1)

- **Additional Adult Number 1's CPR Was Done Online and Is Not Valid. Her CPR Expired in September of 2022.**

Additional Adult Number 2's First Aid and CPR Expired in June of 2023.

13A.15.06.02D(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.