

Sandra Moreno

Tamar Drive
Columbia, MD

2 Inspection Visits Since 2024 · 11 Findings

Most recent inspection: May 12, 2025

● 11 Important

Across 2 inspections since 2024, the issues cited most often were LS Reviewed Children's Files and Found That One Child Was Missing a Source of Healthcare. (3), Provider's Response to the Procedure for Addressing Child Abuse And/or Neglect Was "I Don't Know". (2), and LS Did Not Observe the Regulated Child Care Information for Parents. (1). None of the 11 findings were critical.

Inspection Visits

May 12, 2025 7 Findings ● 7 Important

● **LS Did Not Observe the Regulated Child Care Information for Parents.**

13A.15.03.03E

● **Provider Did Not Have a Fire/emergency Log.**

13A.15.03.03F

● **LS Reviewed Children's Files and Found That One Child Was Missing a Source of Healthcare.**

13A.15.03.04A(1)

● **LS Reviewed Children's Files and Found Four Children Missing Emergency Card Updates.**

13A.15.03.04A(3)

● **LS Reviewed Children's Files and Found Two Children's File Missing Lead Testing Certificates, and One Child's File Missing the Health Assessment I and II.**

13A.15.03.04C

● **Provider's Response to the Procedure for Addressing Child Abuse And/or Neglect Was "I Don't Know".**

13A.15.07.02B(1)

● **Provider's Response to the Procedure for Addressing Child Abuse And/or Neglect Was "I Don't Know".**

13A.15.07.02B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

May 30, 2024 4 Findings ● 4 Important

- **The LS Did Not See Evidence of Lead Testing for JW and LB. Testing Is Done at 12 and 24 Months.**
13A.15.03.02B
- **At Time of Inspection, AF's Emergency Form Was Missing the Name of the Emergency Contact Person and Physician Information; LB Was Missing the Daily Pick-up Person.**
13A.15.03.04A(1)
- **There Was No Emergency Escape Diagram Posted at Time of Inspection.**
13A.15.10.01B(1)
- **At Time of Inspection, the First Aid Kit Was Missing a Thermometer.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.