

Taylor Robertson

Iron Gate Circle
Sykesville, MD

3 Inspection Visits Since 2023 · 7 Findings

Most recent inspection: Sep 3, 2025

● 7 Important

Across 3 inspections since 2023, the issues cited most often were There Were Three Files That Were Not Updated. (4), The Bathroom Did Not Contain Paper Towels. (1), and The Daily Schedule Was Not Posted. (1). None of the 7 findings were critical.

Inspection Visits

Sep 3, 2025 1 Finding ● 1 Important

- **There Were Three Files That Were Not Updated.**
13A.15.03.04A(3)

Sep 23, 2024 4 Findings ● 4 Important

- **There Were Two Emergency Forms That Did Not Have the Physician's Name, Telephone Number and Address.**
13A.15.03.04A(1)
- **The Bathroom Did Not Contain Paper Towels.**
13A.15.05.03B
- **The Daily Schedule Was Not Posted.**
13A.15.09.01A
- **The First Aid Kit Did Not Contain a Thermometer, Fragrance Free Hand Soap and a Flashlight.**
13A.15.10.01H(1)

Oct 11, 2023 2 Findings ● 2 Important

- **One Child Did Not Have an Emergency Card. Obtain Today, Oct 11, 2023.**
13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **One Child's Emergency Card Needs to Be Updated. Obtain Today, Oct 11, 2023.**

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.