

## Cassandra Aust

Freundel Lane  
Westminster, MD

### 3 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Apr 8, 2026

#### ● 14 Important

Across 3 inspections since 2024, the issues cited most often were The Provider Was Unable to Find a Child's Emergency Card.. Please Correct Immediately and Submit a Copy of the Emergency Card. (3), The Provider Did Not Complete the 2025 Annual Basic Health and Safety Training. Please Correct Immediately and Submit a Copy of the Training Certificate. (3), and The Program Had One High Chair and One Chair Available for Eating. She Has Two Toddlers and One Preschool Enrolled in the Program. Please Correct Immediately and Submit a Correction Plan to the Office of Child Care. (1). None of the 14 findings were critical.

### Inspection Visits

#### Apr 8, 2026 4 Findings ● 4 Important

- **The Provider Was Unable to Find a Child's Emergency Card.. Please Correct Immediately and Submit a Copy of the Emergency Card.**

13A.15.03.04A(1)

- **Two of the Emergency Cards Were Not Updated. Please Correct Immediately and Submit a Copy of the Emergency Cards.**

13A.15.03.04A(3)

- **The Provider Did Not Complete the 2025 Annual Basic Health and Safety Training. Please Correct Immediately and Submit a Copy of the Training Certificate.**

13A.15.06.02B(1)

- **The Program Had One High Chair and One Chair Available for Eating. She Has Two Toddlers and One Preschool Enrolled in the Program. Please Correct Immediately and Submit a Correction Plan to the Office of Child Care.**

13A.15.09.02B

#### Mar 13, 2025 9 Findings ● 9 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Providers Contract Did Not Have the Required Information. Please Submit a Copy of an Updated Contract That Includes All the Required Information to the Office of Child Care.**  
13A.15.03.03A
- **The Provider Did Not Have Evidence That the Parents Are Receiving This Information. Please Submit a Correction Plan to the Office of Child Care.**  
13A.15.03.03E
- **The Provider Did Not Have Record of Fire Drills or Emergency Drills. Please Submit a Correction Plan to the Office of Child Care.**  
13A.15.03.03F
- **A Child Was in Care That Did Not Have a Lead Screening. Please Submit a Copy of Lead Screening to the Office of Child Care.**  
13A.15.03.04C
- **The Main Level Bedroom Is Being Used for Rest Time for a Child Using a Cot. The Main Level Bedroom Had a Variety of Items That Can Be a Risk to Children. Please Submit a Correction Plan to the Office of Child Care.**  
13A.15.05.04A(3)
- **The Blind Cord Was Not Secured at Time of Inspection. Provider Secured the Cord at Time of Inspection.**  
13A.15.05.04C(1)
- **The Pack and Play Does Not Have a Tight Fitting Sheet. Provider Placed a Tight Fitting Sheet on Pack Play at Time of Inspection.**  
13A.15.05.06A
- **The Provider Did Not Complete the Annual Basic Health and Safety Training. Please Submit a Copy of the Training to the Office of Child Care.**  
13A.15.06.02B(1)
- **The Provider Did Not Have 12 Hours of Training for the Previous Year. Please Submit a Copy of Training Certificates and the Professional Development Plan.**  
13A.15.06.02B(3)

**Mar 4, 2024** 1 Finding ● 1 Important

- **Two of the Emergency Cards Were Not Updated. Please Correct Immediately and Submit a Copy of the Office of Child Care.**  
13A.15.03.04A(3)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.