

# Earthly Angels CCC

Virginia Avenue  
Baltimore, MD

## 3 Inspection Visits Since 2023 - 14 Findings

Most recent inspection: Oct 22, 2025

● 14 Important

Across 3 inspections since 2023, the issues cited most often were LS Did Not Observe 6 Hour Continued Trainings for the Year. (3), LS Did Not Observed a Complete Emergency Form for a Child in Care. (2), and LS Did Not Observe Current Fire Permit. (1). None of the 14 findings were critical.

## Inspection Visits

**Oct 22, 2025** 7 Findings ● 7 Important

● **LS Did Not Observe Current Fire Permit.**

13A.16.02.03C(4)

● **LS Did Not Observed a Complete Emergency Form for a Child in Care.**

13A.16.03.04C

● **LS Dis Not Observed 2 Lead Screenings for Children in Care**

13A.16.03.04E

● **LS Observed Advertisement Without License Number.**

13A.16.03.09B

● **LS Did Not Observe 6 Hour Continued Trainings for the Year.**

13A.16.06.05C(1)

● **LS Observed TV on While Children Were Laying on Cots Resting.**

13A.16.09.01C(6)

● **LS Did Not Observe Current CPR Cards**

13A.16.10.02A(1)

**Oct 30, 2024** 2 Findings ● 2 Important

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Did Not Observe 12hr Continuing Hours for Year.**  
13A.16.06.05C(1)

- **LS Did Not Observe Current Fire Permit.**  
13A.16.16.09A

**Sep 12, 2023** 5 Findings ● 5 Important

- **LS Did Not Observe Updated Emergency Forms on Multiple Children.**  
13A.16.03.04C

- **LS Did Not Observe the Health Inventory Record for 1 Child.**  
13A.16.03.04D(3)

- **LS Observe Two People Working with Children Not Approved by OCC**  
13A.16.03.06A(1)

- **LS Observed Fence in Backyard That Need to Be Repaired. The Fence Has Missing Fence Panels on Side of Facility**  
13A.16.05.12E

- **LS Did Not Observe 12 Continuing Clock Hours for the Director.**  
13A.16.06.05C(1)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.