

Nicole Kincheloe

Wycliffe Road
Parkville, MD

3 Inspection Visits Since 2024 - 11 Findings

Most recent inspection: Mar 17, 2026

● 11 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed Green Mold Growing on the Fencing Near the Backyard Gate. The Provider Will Have the Fence Power Washed Immediately. The Provider Will Submit a Picture of the Cleaned Fence. (3), LS Observed Containers of Fragrance Oil on the Bathroom Counter Which Is Accessible to the Children in Care. The Provider Immediately Removed the Fragrance Oils From the Bathroom Counter During the Inspection. (2), and LST Observed Ceiling Panels in the Porch That Are Being Repaired. Provider Will Send Picture When Repairs Are Completed. (2). None of the 11 findings were critical.

Inspection Visits

Mar 17, 2026 5 Findings ● 5 Important

● **LS Observed Roman Window Coverings with Cords in the Enclosed Porch Area Windows. The Provider Secured the Cords Out of the Reach of Children in Care.**

13A.15.05.04C(1)

● **LS Observed Green Mold Growing on the Fencing Near the Backyard Gate. The Provider Will Have the Fence Power Washed Immediately. The Provider Will Submit a Picture of the Cleaned Fence.**

13A.15.05.05A

● **LS Observed Safety Issues During the Inspection.**

13A.15.07.07A

● **LS Did Not Observe the Written Emergency and Disaster Plan. The Provider Will Submit an Updated Copy of Her Emergency Disaster Plan to OCC.**

13A.15.10.01A(1)

● **LS Observed Containers of Fragrance Oil on the Bathroom Counter Which Is Accessible to the Children in Care. The Provider Immediately Removed the Fragrance Oils From the Bathroom Counter During the Inspection.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Mar 12, 2025 2 Findings ● 2 Important

- **LS Did Not Observe an Emergency Contact on One Child's Emergency form.
LS Did Not Observe the Physician's Information on One Child's Emergency form.
LS Did Not Observe Enrollment Date, Attendance Hours and Days/time on Children's Emergency forms.
Provider Will Ensure Emergency Forms Are Completed Th**

13A.15.03.04A(1)

- **LS Observed Bathroom Cabinets Without Child-proof Locks to Keep Family Household Products(Hair Care Etc.) Inaccessible to Children in Care. Provider Will Ensure That a Child-proof Lock Is on the Bathroom Cabinets That Contain Possible Hazardous Items.**

13A.15.10.02

Feb 27, 2024 4 Findings ● 4 Important

- **LST Observed Ceiling Panels in the Porch That Are Being Repaired. Provider Will Send Picture When Repairs Are Completed.**

13A.15.05.04A(3)

- **LST Observed Ceiling Panels in the Porch That Are Being Repaired. Provider Will Send Picture When Repairs Are Completed.**

13A.15.05.04A(3)

- **LST Observed a Wooden Fence Down on the Ground Under the Front Porch.
LST Observed Standing Water by an Outdoor Drain.
LST Observed Loose Unstable Fencing That Blocks the Back of the Shed.**

13A.15.05.05A

- **LST Observed a Wooden Fence Down on the Ground Under the Front Porch.
LST Observed Standing Water by an Outdoor Drain.
LST Observed Loose Unstable Fencing That Blocks the Back of the Shed.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.