

St. James Brethren Church

Lappans Road
Saint James, MD

4 Inspection Visits Since 2023 · 14 Findings

Most recent inspection: May 12, 2026

● 14 Important

Across 4 inspections since 2023, the issues cited most often were Emergency Card Not Updated Annually for One Child in Care. (2), Lead Screening Not Conducted for One Child in Care. (2), and Substitute Log Not Recorded. (2). None of the 14 findings were critical.

Inspection Visits

May 12, 2026 6 Findings ● 6 Important

- **Emergency Card Not Updated Annually for One Child in Care.**
13A.16.03.04C
- **Lead Screening Not Conducted for One Child in Care.**
13A.16.03.04E
- **Substitute Log Not Recorded.**
13A.16.03.05E
- **New Staff Member Started Without a Release or Fingerprints Conducted.**
13A.16.03.06A(1)
- **Emergency Contact Information Not Posted.**
13A.16.10.01C
- **Pasta and Peas Meal Was Not Discarded After Consumption.**
13A.16.12.04I

Aug 7, 2025 2 Findings ● 2 Important

- **Sub Log Not Recorded for One Staff Member.**
13A.16.03.05E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

● **Emergency and Disaster Plan Not Maintained.**

13A.16.10.01A(2)

Jun 10, 2024 3 Findings ● 3 Important

● **Notification of End Date Not Received for One Staff Member.**

13A.16.03.06A(2)

● **Playground Near Pavilion Has a Fence That Is Not in Good Repair.**

13A.16.05.12E

● **3 Month Old Child Was Observed Asleep and Swaddled.**

13A.16.10.05B

Jul 21, 2023 3 Findings ● 3 Important

● **Fire and Emergency Drills Have Been Completed for the Last Twelve Months, but Director Needs to Document on the Fire and Emergency Drill Log Form. Director to Send Proof of Correction Within One Business Day.**

13A.16.03.03B(4)

● **One Child's Emergency Card Was Missing the Date Near the Parent/guardian's Signature. Director to Send Proof of Correction of the Date Within One Business Day. Five Children's Emergency Cards Were Missing the Annual Update. Direction to Send Proof of Correction for the Annual Updates No Later Than**

13A.16.03.04C

● **One Child Was Missing the Required Lead Screening. Director to Send Proof of Correction to LS by 8/1/2023.**

13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.