

Mount Harmony Elementary Before and After School Program

West Mount Harmony Road
Owings, MD

3 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: Feb 11, 2026

6 Important

Across 3 inspections since 2024, the issues cited most often were The Licensing Specialist Observed an Epi-Pen Stored at the Facility Today During the Inspection. The Child for Whom This Epi-Pen Is Prescribed Has an Allergy Anaphylaxis Form on File, but It Was Completed in 2024. Med Admin Forms Should Be Completed Again After One Year. Please Obtain a New Med A (2), There Was No Written Agreement in the File for One Child During the Inspection Today. Please Obtain This Written Agreement From the Parent and Add to the Child's File. Please Send a Copy to the Licensing Specialist. (1), and The Center Has Two Pre-K Children Enrolled; One of Whom Is Still 4 Years Old. Licensing Specialist Observed Electrical Sockets in the Gym That Were Uncapped. Programs with Children Under 5 Should Have All Electrical Sockets Capped. Please Cap These Sockets and Send Photo to Licensing Specialist. (1). None of the 6 findings were critical.

Inspection Visits

Feb 11, 2026 2 Findings 2 Important

- There Was No Written Agreement in the File for One Child During the Inspection Today. Please Obtain This Written Agreement From the Parent and Add to the Child's File. Please Send a Copy to the Licensing Specialist.

13A.16.03.03D

- The Licensing Specialist Observed an Epi-Pen Stored at the Facility Today During the Inspection. The Child for Whom This Epi-Pen Is Prescribed Has an Allergy Anaphylaxis Form on File, but It Was Completed in 2024. Med Admin Forms Should Be Completed Again After One Year. Please Obtain a New Med A

13A.16.11.04A(1)(b)

Jan 2, 2025 1 Finding 1 Important

- The Center Has Two Pre-K Children Enrolled; One of Whom Is Still 4 Years Old. Licensing Specialist Observed Electrical Sockets in the Gym That Were Uncapped. Programs with Children Under 5 Should Have All Electrical Sockets Capped. Please Cap These Sockets and Send Photo to Licensing Specialist.

13A.16.10.04F

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Feb 26, 2024 3 Findings ● 3 Important

- **During Inspection Today, There Were Four Children Missing Daily, Authorized Pick Up Persons and Three Children Missing Health Care Provider Information on Their Emergency Forms. Please Obtain From Parents or Guardians and Add to Files. Please Send Copies of Updated Forms to Licensing Specialist.**

13A.16.03.04C

- **One Pre-K Child Did Not Have the Required Lead Blood Test Results on File During Inspection Today.- Please Obtain From Parent or Guardian and Add to File. Send Copy to Licensing Specialist.**

13A.16.03.04E

- **There Were Three Medication Authorization Forms That Did Not Have Parental Permission and Signatures During Inspection Today. Please Obtain From Parents or Guardians and Add to Files. NOTE: Director Was Able to Obtain Parent Permission and Signature on All Forms While Licensing Specialist Was Pres**

13A.16.11.04A(1)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.