

University for Tots

Whitehall Street
Suitland, MD

2 Inspection Visits Since 2024 · 13 Findings

Most recent inspection: Nov 5, 2025

● 13 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed New Staff Members Not Reported to the Office of Childcare, Room 3, Room 4, Room 6. (4), LS Observed Three Holes in the Wall Located in Room 2. LS Observed a Whole in the Wall Behind the Door in Room 5. LS Observed the Floor Cracking and Missing Floor Surface Around the Entrance Door in Room3. (2), and LS Observed No Evidence of Staffing Patterns for All the Classrooms. LS Observed No Evidence of Classroom Identifiers for the Classrooms. (1). None of the 13 findings were critical.

Inspection Visits

Sep 24, 2025 7 Findings ● 7 Important

- **LS Observed No Evidence of Staffing Patterns for All the Classrooms. LS Observed No Evidence of Classroom Identifiers for the Classrooms.**
13A.16.03.05B
- **LS Observed New Staff Members Not Reported to the Office of Childcare, Room 3, Room 4, Room 6.**
13A.16.03.06A(1)
- **LS Observed Evidence of Staff Members No Longer at the Center and Not Reported to the Office of Childcare.**
13A.16.03.06A(2)
- **LS Observed Three Holes in the Wall Located in Room 2. LS Observed a Whole in the Wall Behind the Door in Room 5. LS Observed the Floor Cracking and Missing Floor Surface Around the Entrance Door in Room3.**
13A.16.05.01A(1)
- **LS Observed No Evidence of a Separate Diaper Disposable Tight Fitting Lid for Infants and Toddlers, Rooms 5 and Room6.**
13A.16.05.11D(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Six Adult Chairs with Rust Present, Old Toys, Two Large Oversize Rolls of Fencing Located in the Outdoor Play Area.**

13A.16.05.12D

- **LS Observed No Evidence of Qualified Childcare Teachers for Room 5, Infants and Toddlers, Room 6, Infants and Room 4, 2-year-old, and Room 3, 3/4-year-old.**

13A.16.08.02B

Oct 4, 2024 6 Findings ● 6 Important

- **LS Observed That 2 Children Are Missing Updated Emergency Forms.**

13A.16.03.04C

- **LS Observed That 6 Children Are Missing a Lead Screening or Test.**

13A.16.03.04E

- **LS Observed That 1 Child Is Missing an Immunization Record.**

13A.16.03.04G

- **LS Observed That OCC Was Not Notified of New Staff Within 5 Working Days.**

13A.16.03.06A(1)

- **LS Observed That OCC Was Not Notified of Ending Employment Within 5 Working Days.**

13A.16.03.06A(2)

- **LS Observed Ants in the Kitchen Sink. Corrected on Site.**

13A.16.05.01A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.