

# Monique Armstrong

Normount Avenue  
Baltimore, MD

## 2 Inspection Visits Since 2024 - 12 Findings

Most recent inspection: Jun 17, 2025

● 12 Important

Across 2 inspections since 2024, the issues cited most often were Review All Emergency for Completed Information and Updates Signatures/date (2), The Provider Had a Mini Motor Bike in the Childcare Space During the Visit. (2), and The Homes Fire Permit Has Expired on 2/22/25 (1). None of the 12 findings were critical.

## Inspection Visits

**Jun 17, 2025** 5 Findings ● 5 Important

● **The Homes Fire Permit Has Expired on 2/22/25**

13A.15.02.03B(2)

● **Provider Sign In/out Sheet Was Not Being Used**

13A.15.03.03B

● **Review All Emergency for Completed Information and Updates Signatures/date**

13A.15.03.04A(3)

● **Fire Drills and Disaster Drills Were Not Completed During the Visit.**

13A.15.10.01F

● **The Provider Had a Mini Motor Bike in the Childcare Space During the Visit.**

13A.15.10.02

**Jun 5, 2024** 7 Findings ● 7 Important

● **Provider Will Need to Complete a Monthly Fire Drill and Record Onto a Log.**

13A.15.03.03F

● **Review All Emergency Card for Completed Information Done by the Parents**

13A.15.03.04A(3)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Outdoor Area Used for Child Care Space Had Hazards Items That Could Be Dangerous.**  
13A.15.05.05A
- **During the Visit the Provider Could Not Provide Proof of Completed 1st Aid and CPR.**  
13A.15.06.02D(1)
- **Provider Must Complete and Record Disaster Drill Twice a Year.**  
13A.15.10.01A(4)
- **The 1st Aid Kit Was Missing the Following Items: Batteries for the Flash Light.**  
13A.15.10.01H(1)
- **Properly Store All Flammable Products and Tools From the Front Yard Area.**  
13A.15.10.02

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.