

# Margaret Grantham

Laurel View Ct  
Laurel, MD

## 1 Inspection Visit Since 2024 - 4 Findings

Most recent inspection: Feb 5, 2026

● 4 Important

Across 1 inspection since 2024, the issues cited most often were LS Observed More Than One Child Missing Lead Screening. Lead Screening Missing for Child with Initial's D.H. and N.E. LS Observed Child with the Initial's G. G. Missing Health Inventory Part I Not Present in File. Provider Shall Send Photographic Evidence of Lead Screening Forms and Health Inventory (1), LS Observed Several Diapers Laying in Backyard in Bags. LS Discussed with Provider That Diapers Have to Be Disposed of in a Trashcan with a Lid. Diapers Were Removed and Placed in Trashcan with Lid at Time of Inspection. (1), and LS Observed an Outdoor Conditioning Unit That Requires a Suitable Barrier. Provider Shall Send Photographic Evidence That a Barrier Has Been Placed Around Outdoor Air-conditioning Unit According to the Regulations. (1). None of the 4 findings were critical.

## Inspection Visits

**Jan 23, 2024** 4 Findings ● 4 Important

- **LS Observed More Than One Child Missing Lead Screening. Lead Screening Missing for Child with Initial's D.H. and N.E. LS Observed Child with the Initial's G. G. Missing Health Inventory Part I Not Present in File. Provider Shall Send Photographic Evidence of Lead Screening Forms and Health Inventory**  
13A.15.03.04C
- **LS Observed Several Diapers Laying in Backyard in Bags. LS Discussed with Provider That Diapers Have to Be Disposed of in a Trashcan with a Lid. Diapers Were Removed and Placed in Trashcan with Lid at Time of Inspection.**  
13A.15.05.03C
- **LS Observed an Outdoor Conditioning Unit That Requires a Suitable Barrier. Provider Shall Send Photographic Evidence That a Barrier Has Been Placed Around Outdoor Air-conditioning Unit According to the Regulations.**  
13A.15.05.05A
- **LS Observed Provider Does Not Have Written Record of Fire Drills Which Should Be Conducted at Least Once per Month According to the Regulations. Provider Shall Send a Letter of Corrections.**  
13A.15.10.01A(3)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.