

Sharon Owens

Martin Court East
Severn, MD

3 Inspection Visits Since 2023 · 13 Findings

Most recent inspection: Jun 10, 2025

● 13 Important

Across 3 inspections since 2023, the issues cited most often were Provider Could Not Locate Emergency Disaster Plan. Please Submit Corrections to OCC by 06/16/2023 (3), One Child Is Missing Health Inventory 2 and Lead Test 1&2 (2), and Cleaning Supplies on Desk, Mop and Bucket Outside in Patio Area and by Computer Table, Disconnected Fire Place with Rocks, Disconnected Sink, Disconnected Hot Water Heater Accessible to the Children (2). None of the 13 findings were critical.

Inspection Visits

Jun 10, 2025 2 Findings ● 2 Important

● **One Child Is Missing Health Inventory 2 and Lead Test 1&2**

13A.15.03.04C

● **Blankets Were in with Both Infants During Time of Inspection It Was Corrected**

13A.15.05.06F

Jun 6, 2024 4 Findings ● 4 Important

● **Grills Not Covered, Sinks, Fireplaces, Hot Water Heater That Do Not Work in the Driveway and in Backyard Area**

13A.15.05.05A

● **Security Features Were Not Working During Time of Inspection**

13A.15.05.05C

● **Provider's First Aid and CPR Has Expired**

13A.15.06.02D(1)

● **Cleaning Supplies on Desk, Mop and Bucket Outside in Patio Area and by Computer Table, Disconnected Fire Place with Rocks, Disconnected Sink, Disconnected Hot Water Heater Accessible to the Children**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jun 13, 2023 7 Findings ● 7 Important

● **S.B. Needs Lead 2**

13A.15.03.04C

● **Liner in Trash Can Missing**

13A.15.05.03B

● **A Lot of Clothing, Overstocked Food Table in Back, Lotion on Cabinet, Clutter by Fire Place**

13A.15.05.04A(6)

● **Provider Could Not Locate Emergency Disaster Plan. Please Submit Corrections to OCC by 06/16/2023**

13A.15.10.01A(1)

● **Provider Does Not Have Practiced Emergency and Disaster Plan Practiced Twice Yearly. Please Submit Corrections to OCC by 06/16/2023**

13A.15.10.01A(3)

● **Provider Did Not Have Emergency Plan Updated. Please Submit Corrections to OCC by 06/16/2023**

13A.15.10.01A(4)

● **Cleaning Products Under Sink in Bathroom and Drawers Unlocked, Cleaning Agents on Shelf Next to Television**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.