

Mary Stellabotta

Mill Branch Road
Huntingtown, MD

3 Inspection Visits Since 2023 · 14 Findings

Most recent inspection: Dec 23, 2025

● 14 Important

Across 3 inspections since 2023, the issues cited most often were During a Review of Emergency Forms, It Was Found That 9 Out of the 11 Emergency Forms Have Not Been Updated Within a Year. In Addition, One of the Emergency Forms Is Missing the Parent's Original Signature and Date. Please Have the Respective Parents Review Their Child's Emergency Form, Initial And (5), During a Review of Children's Records, It Was Found That an 8 Year Old Girl Is Missing Her Health Inventory Part I and Part II; A 1 Year 4 Month Old Boy Is Missing His 12 Month Old Blood Lead Test Results and Missing 3 DTP Vaccines, 2 Polio Vaccines, One Prevnar Vaccine and an MMR and a Varicella Va (2), and The Emergency Disaster Plan Has Not Been Updated Since 2023. However, While On-site, the Provider Reviewed the Plan, Initialed and Dated It. Therefore, This Non-compliance Was Corrected On-site. (1). None of the 14 findings were critical.

Inspection Visits

Dec 23, 2025 4 Findings ● 4 Important

- **During a Review of Emergency Forms, It Was Found That 9 Out of the 11 Emergency Forms Have Not Been Updated Within a Year. In Addition, One of the Emergency Forms Is Missing the Parent's Original Signature and Date. Please Have the Respective Parents Review Their Child's Emergency Form, Initial And**
13A.15.03.04A(3)
- **During a Review of Children's Records, It Was Found That an 8 Year Old Girl Is Missing Her Health Inventory Part I and Part II; A 1 Year 4 Month Old Boy Is Missing His 12 Month Old Blood Lead Test Results and Missing 3 DTP Vaccines, 2 Polio Vaccines, One Prevnar Vaccine and an MMR and a Varicella Va**
13A.15.03.04C
- **The Emergency Disaster Plan Has Not Been Updated Since 2023. However, While On-site, the Provider Reviewed the Plan, Initialed and Dated It. Therefore, This Non-compliance Was Corrected On-site.**
13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During the Inspection, the Provider's First Aid Kit Is Missing the Two Required Rolls of Gauze. Please Add These to Your First Aid Kit and Send a Picture of the Two Rolls of Gauze to OCC for the Correction of This Non-compliance.**

13A.15.10.01H(1)

Dec 6, 2024 4 Findings ● 4 Important

- **During a Review of Children's Emergency Forms, It Was Found That One Child Does Not Have His Physician's Address Listed on His Emergency Form. Another Child Does Not Have Any Emergency Contacts or Any Physician Information Listed on His Emergency Form. Please Inform the Respective Parents of the M**
13A.15.03.04A(1)
- **During a Review of Children's Emergency Forms, It Was Found That the Emergency Form Encompassing the Sibling Group of Three Has Not Been Updated Within a Year. Please Notify the Respective Parent So the Parent Can Review the Form for Accuracy and Then Initial and Date the Form for the Update. Plea**
13A.15.03.04A(3)
- **During the Inspection, an Outlet Was Found to Be Missing Caps in Both Sockets with Two Children Under the Age of Two Present. When This Was Brought to the Attention of the Provider, She Capped Both Sockets. Therefore, This Non-compliance Was Corrected On-site.**
13A.15.05.04B(1)
- **Neither the Provider or the Co-Provider Could Show Evidence of Having Taken the 2023 Basic Health and Safety Course That Was Due to Be Completed by March 31, 2024. Please Complete the Training Course and Take a Screenshot of the Page Stating You Completed the Course as It Will No Longer Generate A**
13A.15.06.02B(1)

Dec 15, 2023 6 Findings ● 6 Important

- **An Almost 6 Month Old Child Was First in Care at the FCC Home on 12/08/2023. However, the Parent Has Yet to Provide an Emergency Form, Health Inventory Part I or II or Any Immunizations. Providers Report That They Have Given the Mother the Forms and Requested Them to Be Completed. Provider Stated**
13A.15.03.02A
- **During a Review of Children's Records, It Was Found That an Enrolled Infant Does Not Have an Emergency Card. Please Have the Parent Complete an Emergency Card for Him and Keep It on File. Provide a Copy of This Completed Emergency Card to OCC for the Correction of This Non-compliance.**
13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During a Review of Children's Records, It Was Found That a "Drop-in" Child's Emergency Card Has Not Been Updated. No Date Is on the Emergency Card and It Was Found That the Wrong Address Is on the Emergency Form. Please Have the Parent Update Their Child's Information and Initial and Date the Emer**
13A.15.03.04A(3)
- **During a Review of Children's Records, It Was Found That Two Children Are Missing Part I and Part II of the Health Inventory. Another Child Is Missing the Appropriate Amount of Immunizations for Her Age. As Noted Previously, an Almost 6 Month Old Child Is Missing His Emergency Card, Immunizations,**
13A.15.03.04C
- **During an Inspection of the Downstairs Bathroom That the Children Use, Dog Feces Was Observed on the Floor. When This Was Brought to the Attention of the Providers, One of Them Immediately Cleaned It Up. The Family Has a New Puppy Who Had Been in the Child Care Area While This Licensing Specialist**
13A.15.05.03A
- **During the Inspection, the Floor Temperature Was Only 60 Degrees F. When This Was Brought to the Attention of the Providers, the Overall Home's Thermostat Was Turned Up to Heat the Home. By the End of the Inspection, the Room's Floor Temperature Had Reached 65 Degrees F. Therefore, This Non-compl**
13A.15.05.04A(7)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.