

Woodbrook Early Education Center

Stevenson Lane
Baltimore, MD

3 Inspection Visits Since 2023 - 12 Findings

Most recent inspection: Oct 15, 2025

● 12 Important

Across 3 inspections since 2023, the issues cited most often were Four Aides Did Not Have Professional Development Plans. (3), LS Observed Missing Professional Development Plan for the Director. Correct Immediately. (2), and LS Observed Missing Professional Development Plan for 8 Teachers. One Teacher Completed Only 2.5 Hours of Continued Training. One Teacher Has Not Completed 2024 Basic Health and Safety Update Training. Correct Immediately. (2). None of the 12 findings were critical.

Inspection Visits

Oct 15, 2025 6 Findings ● 6 Important

● **LS Observed 12 Two Year Old Children with a Teacher, Aide and a Soccer Shots Employee at the Grassy Area Adjacent to the Center's Building. The Grassy Area Is Not an Approved Outdoor Area. Corrected on Site - the Director Submitted a Statement and a Change in the Facilities Form During the Inspection.**
13A.16.05.12C

● **LS Observed Missing Professional Development Plan for the Director. Correct Immediately.**
13A.16.06.05C(2)

● **LS Observed Missing Professional Development Plan for 8 Teachers. One Teacher Completed Only 2.5 Hours of Continued Training. One Teacher Has Not Completed 2024 Basic Health and Safety Update Training. Correct Immediately.**
13A.16.06.09C

● **Four Aides Did Not Have Professional Development Plans.**
13A.16.06.12B(2)

● **Two Aides Have Not Completed 2024 BHS Update Training.**
13A.16.06.12B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed 12 Two Year Old Children with a Teacher, Aide and a Soccer Shots Employee at the Grassy Area Adjacent to the Center's Building. The Grassy Area Is Not an Approved Outdoor Area. Corrected on Site - the Director Submitted a Statement and a Change in the Facilities Form During the Inspectio**
13A.16.07.06A

Oct 24, 2024 3 Findings ● 3 Important

- **LS Observed Missing CBC Results for Four Staff Members. Correct Immediately.**
13A.16.03.05C
- **LS Observed the Center Had an Expired EpiPen with Current Medication Authorization Form for One Enrolled Child. Correct Immediately.**
13A.16.11.04A(3)
- **Room 3 Teacher Does Not Have a 4 Year Degree or 120 Semester Hours. Room 2 Teacher with a 4 Year Degree Provides the Instruction Only 3 Times a Week. Correct Immediately.**
13A.16.16.06C(3)

Oct 4, 2023 3 Findings ● 3 Important

- **The Director Did Not Have a Professional Development Plan. Correct Immediately.**
13A.16.06.05C(2)
- **The Teachers Have Not Completed Professional Development Plans. Correct Immediately.**
13A.16.06.09C
- **Aides Have Not Completed Professional Development Plans. Correct Immediately.**
13A.16.06.12B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.