

Michalia Horney

Tarragon Court
Belcamp, MD

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Mar 18, 2026

● 3 Important

Across 2 inspections since 2024, the issues cited most often were At the Time of the Inspection, Open Bag of Potting Soil Is Accessible to Children in Care. Provider to Move It Out of Reach of Children. (2) and At the Time of the Inspection, the Diaper Pad Has a Tear. (1). None of the 3 findings were critical.

Inspection Visits

Feb 19, 2025 2 Findings ● 2 Important

● **At the Time of the Inspection, the Diaper Pad Has a Tear.**

13A.15.05.03E(3)

● **At the Time of the Inspection, Open Bag of Potting Soil Is Accessible to Children in Care. Provider to Move It Out of Reach of Children.**

13A.15.05.05A

Apr 17, 2024 1 Finding ● 1 Important

● **At the Time of the Inspection, Specialist Observed the Shed Was Missing the Lock, an Electric Cord Was Hanging From the Upper Deck Attached to Lights. Provider to Remove or Have Cord Out of Reach of Children.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.