

Chitra Tannassee

Rainbow Arch Dr
Clarksburg, MD

2 Inspection Visits Since 2024 · 9 Findings

Most recent inspection: Feb 18, 2026

● 9 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed Four (4) Children That Did Not Have the Required Lead Screening Information. Provider to Submit a Written Statement Verifying That the Lead Screening Information Has Been Obtained and Is Accessible in the Child Files. (2), LS Observed Two (2) Emergency Cards That Were Not Complete, Specifically Missing the Source of Health Care Information and an Emergency Contact with Complete Telephone and Address. Provider to Submit a Written Statement Verifying That the Emergency Cards Are Completed, Obtained, and Accessible in Th (2), and LS Observed No Evidence of a Second Roll of Gauze in the First Aid Kit. Provider to Submit Photographic Evidence That the Item Has Been Obtained and Is Accessible in the First Aid Kit. (2). None of the 9 findings were critical.

Inspection Visits

Feb 18, 2026 5 Findings ● 5 Important

- **LS Observed No Evidence of Immunizations in One (1) Child's File. Provider to Submit a Written Statement Verifying That the Immunization Evidence Has Been Obtained and Is Accessible in the Child's File.**
13A.15.03.02A
- **LS Observed Four (4) Children That Did Not Have the Required Lead Screening Information. Provider to Submit a Written Statement Verifying That the Lead Screening Information Has Been Obtained and Is Accessible in the Child Files.**
13A.15.03.02B
- **LS Observed Two (2) Emergency Cards That Were Not Complete, Specifically Missing the Source of Health Care Information and an Emergency Contact with Complete Telephone and Address. Provider to Submit a Written Statement Verifying That the Emergency Cards Are Completed, Obtained, and Accessible in Th**
13A.15.03.04A(1)
- **LS Observed No Evidence of the 2025 Basic Health and Safety Course That Was Due by December 31, 2025. Provider to Submit the Certificate to OCC Immediately.**
13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed No Evidence of a Second Roll of Gauze in the First Aid Kit. Provider to Submit Photographic Evidence That the Item Has Been Obtained and Is Accessible in the First Aid Kit.**
13A.15.10.01H(1)

Apr 10, 2024 4 Findings ● 4 Important

- **LS Observed Four Children That Did Not Have the Required Lead Screening or Tests on a Form Supplied or Approved by the Licensing Agency. Provider to Submit Evidence That the Forms Have Been Received and Are Accessible in the Child Files.**
13A.15.03.02B
- **LS Observed One Emergency Card That Did Not Have the Second Page Completed. Provider to Have the Parent Complete the Emergency Form and Submit Evidence of Completion.**
13A.15.03.04A(1)
- **LS Observed a Daily Schedule That Had Meals More Than 3 Hours Apart. Provider to Revise and Submit a New Daily Schedule.**
13A.15.09.01A
- **LS Observed No Evidence of Fragrance Free, Liquid Soap or Safety Pins in the First Aid Kit. Provider to Submit Photographic Evidence That the Items Have Been Placed in the Kit.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.