

Katherine Pierce

Sloan Avenue
Waldorf, MD

3 Inspection Visits Since 2023 - 11 Findings

Most recent inspection: Jan 13, 2026

- 11 Important

Across 3 inspections since 2023, the issues cited most often were One Child Needs Documentation of His 12 Month Immunizations (MMR, VAR). Please Have the Parent Obtain the Immunization Documentation From the Physician and Add to the File. (2), Two Children Need the Lead Blood Test Done at 12 Months. Please Have the Parents Obtain the Documentation From the Physician and Add to the Files. (2), and One Emergency Card Needs the Parent Signature and Date. The Provider Will Have the Parent Sign and Date the Form as Soon as Possible. (2). None of the 11 findings were critical.

Inspection Visits

Jan 13, 2026 6 Findings ● 6 Important

- **One Child Needs Documentation of His 12 Month Immunizations (MMR, VAR). Please Have the Parent Obtain the Immunization Documentation From the Physician and Add to the File.**

13A.15.03.02A

- **Two Children Need the Lead Blood Test Done at 12 Months. Please Have the Parents Obtain the Documentation From the Physician and Add to the Files.**

13A.15.03.02B

- **One Emergency Card Needs the Parent Signature and Date. The Provider Will Have the Parent Sign and Date the Form as Soon as Possible.**

13A.15.03.04A(1)

- **The Provider Still Needs to Complete the 2025 Basic Health and Safety Update. Please Do So as Soon as Possible and Forward a Copy of the Training Certificate to the Licensing Specialist.**

13A.15.06.02B(1)

- **The Provider's First aid/CPR Certification Expired in November 2025. She Has a Course Scheduled for 1/23/2026. Forward a Copy of the Completed Training to the Licensing Specialist Once Completed.**

13A.15.06.02D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Did Not Do Fire Drills in November or December 2025. There Were Also No Disaster Drills Conducted in 2024 or 2025. The Provider Understands She Must Begin Doing Disaster Drills Twice per Year and Begin Monthly Fire Drills Again This Month.**

13A.15.10.01A(3)

Jan 24, 2024 3 Findings ● 3 Important

- **The Provider Did Not Have a Completed Health Inventory on File for Any of the Enrolled Children. This Includes Part I, Part II and the Individual Needs. She Did Have Current Immunizations for All Children. Please Ensure the Completed Health Inventory Is Received for All Children and Added to Their F**

13A.15.03.02A

- **Five of the Six Enrolled Children Are Over the Age of 12 Months and Do Not Have a Lead Blood Test on File. The Provider Must Request the Completed Lead Blood Test Documentation From These Families. The Requirements at 12 and 24 Months Were Reviewed with the Provider.**

13A.15.03.02B

- **The Provider Needs to Document That Each Family Was Given or Advised How to Obtain the Consumer Pamphlet. A Copy Was Given to the Provider.**

13A.15.03.03E

Nov 15, 2023 2 Findings ● 2 Important

- **The Emergency Form for LO Needs the Annual Update. The Provider Has Given the Form to the Parent to Update and Upload Into Brightwheel. The Provider Texted the Parent and She Will Upload It Today.**

13A.15.03.04A(3)

- **The Provider's CPR and First Aid Certification Expired in October 2023. She Is Scheduled to Take the Class on Friday, November 17th. Please Forward a Copy of the Current Certification to the Licensing Specialist Once Completed.**

13A.15.06.02D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.