

The Julia Brown School

Milestone Dr
Silver Spring, MD

2 Inspection Visits Since 2023 - 4 Findings

Most recent inspection: Nov 26, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed Two Stakes Protruding From the Wooden Boarder of the Playground. (2), LS Observed Children's Files Missing Parent Agreement, Lead Test, and Health Assessment Part 2. (1), and Licensing Specialist Observed Several Uncovered Sockets in Classrooms Accessible to Children. (1). None of the 4 findings were critical.

Inspection Visits

Oct 29, 2024 2 Findings ● 2 Important

● **LS Observed Children's Files Missing Parent Agreement, Lead Test, and Health Assessment Part 2.**
13A.16.03.04A

● **LS Observed Two Stakes Protruding From the Wooden Boarder of the Playground.**
13A.16.05.12D

Nov 17, 2023 2 Findings ● 2 Important

● **Licenses Specialist Observed Plank That Is Located on the Ground Directly in Front of Gate That Leads Into the Playground Is Not Bolted Down Could Be a Tripping Hazard.**
13A.16.05.12D

● **Licensing Specialist Observed Several Uncovered Sockets in Classrooms Accessible to Children.**
13A.16.10.04F

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.