

Rhonda Thomas

Birdseye Court
Lexington Park, MD

3 Inspection Visits Since 2023 · 12 Findings

Most recent inspection: Jun 3, 2026

● 12 Important

Across 3 inspections since 2023, the issues cited most often were Two Children Need the 2 Year Lead Blood Test. (3), One Child Needs a Parent Signature and Date on His Emergency Card and His Doctor Information on His Emergency Card. (3), and One Child Needs the Parent Part of the Health Inventory Completed. (2). None of the 12 findings were critical.

Inspection Visits

Jun 3, 2026 3 Findings ● 3 Important

● **One Child Needs the Parent Part of the Health Inventory Completed.**

13A.15.03.02A

● **Two Children Need the 2 Year Lead Blood Test.**

13A.15.03.02B

● **One Child Needs a Parent Signature and Date on His Emergency Card and His Doctor Information on His Emergency Card.**

13A.15.03.04A(1)

Jun 9, 2025 3 Findings ● 3 Important

● **Two Children Need the 2 Year Lead Blood Test. One Child Needs the One Year Lead Blood Test.**

13A.15.03.02B

● **One Child Doesn't Have a Parent Agreement.**

13A.15.03.03A

● **One Child Needs His Doctor Telephone Number on His Emergency Card.**

13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jun 9, 2023 6 Findings  6 Important

- **SJ Needs an Immunization Record. SG Needs an Updated Shot Record That Shows He Has Had 4 DTP Shots, an MMR Shot, a Varicella Shot, and a HIB Shot After a Year of Age. AJ Needs an Updated Shot Record That Shows She Has Had 4 DTP Shots and a HIB Shot After a Year of Age.**
13A.15.03.02A
- **SJ and SG Need Evidence of Having Had a Lead Blood Test at a Year of Age. AJ Needs Evidence of Having Had a Lead Blood Test at 2 Years of Age.**
13A.15.03.02B
- **LC Needs Doctor Information on His Emergency Card.**
13A.15.03.04A(1)
- **The Provider Has a Plastic Swing Set (Like a Little Tykes) for an Infant. The Top of the Frame Is Broken. Provider States the Children Don't Use This Piece of Equipment. This Piece of Equipment Needs to Be Removed From the Children's Play Space. Provider Has a Plastic Square Slide/climber That Doesn**
13A.15.05.05A
- **Provider Had a Fire Drill Record That Only Showed Fire Drills Done Until November 2022. She States She Always Does Them but Couldn't Locate the Current List. The List That Was Present Didn't Distinguish What Was a Fire Drill and What Was a Disaster Drill. Provider Needs to Be Sure to Do Fire Drills**
13A.15.10.01A(3)
- **There Was a Bottle of Bleach Under the Sink and No Safety Latch on the Cabinet. The Bleach Was Made Inaccessible to the Children During the Inspection.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.