

Philippi Christian Preschool

Race Road
Hanover, MD

4 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: Sep 23, 2025

● 14 Important

Across 4 inspections since 2025, the issues cited most often were Paint Was Observed in Disrepair in the Lobby and Hallways. (2), The Equipment for Children Ages 5 - 12 Years Old Is Taking Up 1,453.44 Square Feet of Usable Play Space. This Equipment Is Currently Accessible to Children. (2), and The Facility Confirmed Children Ages 2 - 5 Years Old Have Been Using Pools and a Moon Bounce with Water Pooling at the Bottom of the Slide in Their Outdoor Play Area. (2). None of the 14 findings were critical.

Inspection Visits

Sep 23, 2025 2 Findings ● 2 Important

● Paint Was Observed in Disrepair in the Lobby and Hallways.

13A.17.05.01A(1)

● The Equipment for Children Ages 5 - 12 Years Old Is Taking Up 1,453.44 Square Feet of Usable Play Space. This Equipment Is Currently Accessible to Children.

13A.17.05.12A

Sep 16, 2025 2 Findings ● 2 Important

● Licensing Specialist Was Previously Told the Playground Would Be Replaced Over the Summer. LS Was Not Contacted to Inspect the New Playground. LS Observed a Consumer Sticker Indicating the Playground Approved for Children Ages 5 - 12 Years Old. The Program Only Serves Children Ages 2 - 5 Years Old.

13A.17.03.06F(2)

● LS Observed New Playground Equipment Installed That Is Only Approved for Children Ages 5 - 12 Years Old. The Facility Cares for Children Ages 2 - 5 Years Old.

13A.17.05.12A

Jul 9, 2025 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed a Large Moon Bounce with About Four to Five Inches of Water Pooling at the Bottom of the Slide and a Circular Pool Filled with About Five Inches of Water in the Outdoor Play Area. LS Also Observed a Water Hose Unwound and Posing a Tripping Hazard.**

13A.17.05.12D

- **LS Observed a Circular Pool Filled with About Five Inches of Water in the Outdoor Play Area.**

13A.17.05.12F

- **Licensing Specialist Observed a Large Moon Bounce with About Four to Five Inches of Water Pooling at the Bottom of the Slide and a Circular Pool Filled with About Five Inches of Water in the Outdoor Play Area.**

13A.17.05.13C

- **The Facility Confirmed Children Ages 2 - 5 Years Old Have Been Using Pools and a Moon Bounce with Water Pooling at the Bottom of the Slide in Their Outdoor Play Area.**

13A.17.07.06A

- **Licensing Specialist Observed a Large Moon Bounce with About Four to Five Inches of Water Pooling at the Bottom of the Slide in the Outdoor Play Area During the Inspection.**

13A.17.10.04A

Jan 8, 2025 5 Findings ● 5 Important

- **Licensing Specialist Observed More Than One Emergency Form Missing the Physicians Information.**

13A.17.03.04C

- **The OCC Has Not Received the Reportable Child Incident Form Yet. The Facility Was Made Aware That the Child Was Taken to a Physician on October 13, 2024.**

13A.17.03.06D(3)

- **Licensing Specialist Observed the Green Wall Next to the Children's Sitting Area in Room 3 with Chipped and Peeling Paint. A Ceiling Tile in Room 6 Also Has a Hole in It.**

13A.17.05.01A(1)

- **Licensing Specialist Observed Teachers Belongings, the First Aid Kit, and a Bag of Marshmallows Stored on Top of the Diapering Pad in Room 4.**

13A.17.05.11A

- **Licensing Specialist Were Able to Walk Freely Into the Building. There Was a Bell to Push, but the LS Opened the Door and Walked Into the Center.**

13A.17.07.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.