

Anna Yasinova

Chippewa Court
Baltimore, MD

3 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Sep 16, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were During the Inspection , the LS Observed That a Form Needed Physician's Information. The Child's Parent Came in and Completed the Form Correcting This Non-compliance On-site. The LS Reminded the Provider to Make Sure and Have Parents Complete All Items on the Emergency Form. (1), The Provider Reviewed and Initialed Her Emergency Plan During the Inspection. The LS Gave the Provider a Friendly Reminder to Review and Update Annually. (1), and The Provider Had Her Four and Half Old Granddaughter Sleeping Outside with Her Substitute. The Infant Was Sleeping in a Stroller. The Provider Took the Infant Out of the Stroller and Placed Her in a Crib. (1). None of the 5 findings were critical.

Inspection Visits

Sep 16, 2025 2 Findings ● 2 Important

● **During the Inspection , the LS Observed That a Form Needed Physician's Information. The Child's Parent Came in and Completed the Form Correcting This Non-compliance On-site. The LS Reminded the Provider to Make Sure and Have Parents Complete All Items on the Emergency Form.**

13A.15.03.04A(1)

● **The Provider Reviewed and Initialed Her Emergency Plan During the Inspection. The LS Gave the Provider a Friendly Reminder to Review and Update Annually.**

13A.15.10.01A(4)

Sep 24, 2024 1 Finding ● 1 Important

● **The Provider Had Her Four and Half Old Granddaughter Sleeping Outside with Her Substitute. The Infant Was Sleeping in a Stroller. The Provider Took the Infant Out of the Stroller and Placed Her in a Crib.**

13A.15.05.06H

Sep 18, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider's Mother Has Decided to Move Out Due to the Noise of the Children, the Provider Will Send and Email to the LS to Have Her Name Removed From the AP List.**

13A.15.03.05C(1)

- **The LS Observed That the Cold Water Pipe Was Over a Child's Bed. The Provider Stated That the Fire Inspector Approved It as Long as a Covering Was Placed Over It. The LS Took Pictures and Will Review with Her Supervisor.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.