

Little Hands Preschool

Kings Valley Road
Damascus, MD

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 14, 2026

● 5 Important

Across 2 inspections since 2024, the issues cited most often were At the Time of Inspection, Several Child Care Teachers Had Not Completed Continued Training for 2024-2025 Employment Year. The Facility Will Use Completed Hours for 2025-2026 to Make Up the Missing Hours, and Some Teachers Will Be Required to Complete Additional Continued Training Hours as Soon As (1), At the Time of Inspection, One Child Was Missing Evidence of a Second Lead Test. Facility to Submit Evidence of a Second Lead Test for This Child. (1), and At the Time of Inspection, 2 Staff Members Were Missing Current Medical Reports in Their Files. All Staff Were Missing Evidence of Current Criminal Background Check Results. Facility Is to Submit a Statement of Understanding of This Regulation. (1). None of the 5 findings were critical.

Inspection Visits

May 14, 2026 1 Finding ● 1 Important

- **At the Time of Inspection, Several Child Care Teachers Had Not Completed Continued Training for 2024-2025 Employment Year. The Facility Will Use Completed Hours for 2025-2026 to Make Up the Missing Hours, and Some Teachers Will Be Required to Complete Additional Continued Training Hours as Soon As**

13A.16.06.09C

Apr 15, 2024 4 Findings ● 4 Important

- **At the Time of Inspection, One Child Was Missing Evidence of a Second Lead Test. Facility to Submit Evidence of a Second Lead Test for This Child.**

13A.16.03.04E

- **At the Time of Inspection, 2 Staff Members Were Missing Current Medical Reports in Their Files. All Staff Were Missing Evidence of Current Criminal Background Check Results. Facility Is to Submit a Statement of Understanding of This Regulation.**

13A.16.03.05C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of Inspection, LS Did Not Observe an Emergency Escape Route Posted in the Sanctuary, Which Is Approved Auxiliary Space. Facility Is to Post a Copy of the Escape Route and Submit Evidence to LS.**

13A.16.10.01A(4)

- **At the Time of Inspection, LS Observed Hand Sanitizer Accessible to Children in Two Classrooms, 2 Bottles of Lysol in an Unlocked Cabinet in Room 109, and Two Staff Tote Bags on the Floor in Room 108. LS Also Observed the Kitchen, Which Was Left Open and Observed a Drawer Full of Knives That Was Ac**

13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.