

Savitri Cistone

38th Avenue
Hyattsville, MD

1 Inspection Visit Since 2026 · 3 Findings

Most recent inspection: Apr 15, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were LS Did Not Observe a Record of Fire/emergency Drills. (1), LS Did Not Observe a Health Assessment Part 1 or Part 2 for Three Children. LS Did Not Observe a Lead Test for One Child. LS Did Not Observe a Written Parent Agreement for One Child. LS Did Not Observe Vaccines for One Child. (1), and Upon Arrival at the Family Child Care Home, LS Observed That the Provider's Husband Was Present in the Child Care Space Around the Children in Care. The Provider Had Previously Informed LS That Her Husband Lives at a Separate Residence and Is Not Inside of the Family Child Care Home During Business (1). None of the 3 findings were critical.

Inspection Visits

Apr 15, 2026 3 Findings ● 3 Important

● LS Did Not Observe a Record of Fire/emergency Drills.

13A.15.03.03F

● LS Did Not Observe a Health Assessment Part 1 or Part 2 for Three Children. LS Did Not Observe a Lead Test for One Child. LS Did Not Observe a Written Parent Agreement for One Child. LS Did Not Observe Vaccines for One Child.

13A.15.03.04C

● Upon Arrival at the Family Child Care Home, LS Observed That the Provider's Husband Was Present in the Child Care Space Around the Children in Care. The Provider Had Previously Informed LS That Her Husband Lives at a Separate Residence and Is Not Inside of the Family Child Care Home During Business

13A.15.03.05C(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.