

Susan Knight-Cogar

Horsehead South
Laurel, MD

3 Inspection Visits Since 2023 - 7 Findings

Most recent inspection: Aug 26, 2025

● 7 Important

Across 3 inspections since 2023, the issues cited most often were LS Observed That More Than One Child Do Not Have Emergency Cards Updated. Provider Will Send Updated Emergency Cards to LS. (2), LS Observed That a Child on Medication Had an Expired Epi Pen in Care. Provider Shall Obtain New Medication From the Parent. Provider Shall Provide Photographic Evidence That the New Medication Has Been Obtained From the Parent. (1), and LS Observed Provider Does Not Have Completed Professional Development Plan. Provider Will Complete Professional Development Plan and Forward to LS. (1). None of the 7 findings were critical.

Inspection Visits

Aug 26, 2025 1 Finding ● 1 Important

- **LS Observed That a Child on Medication Had an Expired Epi Pen in Care. Provider Shall Obtain New Medication From the Parent. Provider Shall Provide Photographic Evidence That the New Medication Has Been Obtained From the Parent.**

13A.15.11.04E(1)(c)

Jul 24, 2024 2 Findings ● 2 Important

- **LS Observed That More Than One Child Do Not Have Emergency Cards Updated. Provider Will Send Updated Emergency Cards to LS.**

13A.15.03.04A(3)

- **LS Observed Provider Does Not Have Completed Professional Development Plan. Provider Will Complete Professional Development Plan and Forward to LS.**

13A.15.06.02C(1)

Aug 17, 2023 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Provider Does Not Have a Written Record of Each Child Enrolled in Care Each Day Attendance. Provider Shall Provide a Letter of Corrections Verifying That a Written Copy of Daily Attendance Shall Be Maintained.**

13A.15.03.03B

- **LS Observed More Than One Child That Do Not Have Emergency Form Updated. Children S.D., G.D. and D.M. Do Not Have Updated Emergency Forms. Provider Will Send Photographic Evidence of Updated Emergency Forms.**

13A.15.03.04A(3)

- **LS Observed More Than on Child in Care That Do Not Have Lead Screening. Children H.R., I.K. Do Not Have Lead Screening Records. Provider Shall Obtain Lead Screening Record From Parents and Forward Photographic Copy to LS.**

13A.15.03.04C

- **LS Observed an Uncovered Grill and Generator Tank on the Deck Leading to the Backyard Play Area, LS Observed an Air Conditioning Unit That Do Not Have a Suitable Barrier in the Backyard Play Area. Provider Will Send Photographic Evidence of the Grill and Generator Tank Covered and a Suitable Barrier**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.